



Government of Nepal
Ministry of Health and Population
Department of Health Services
Health Management Information System
Public Hospital Monthly Reporting Form
....., Hospital

| | | | | | |
|---------------|--------------------------------------------------------------|----|--|-------------------|--|
| Fiscal Year: | 20 / 20.... | To | | HF Code: | |
| Reference No: | Subject: Submission of Monthly Report on Hospital Services : | | | M / Y 20.... | |

| Hospital Services | | | | Emergency Services | | |
|-------------------|--------------------|------|----------------------|--------------------|----------------------|------|
| Age Group | New Clients Served | | Total Clients Served | | Total Clients Served | |
| | Female | Male | Female | Male | Female | Male |
| 0 - 9 Years | | | | | | |
| 10 - 14 Years | | | | | | |
| 15 - 19 Years | | | | | | |
| 20 - 59 Years | | | | | | |
| 60-69 Years | | | | | | |
| ≥70 Years | | | | | | |

| Dispatched Date: | | / | | / | 20.... | |
|----------------------------------------|----------------------------|---------------|--|---|---------|--------|
| Received Date: | | / | | / | 20.... | |
| Sanctioned bed | Operational In-Patient Bed | Emergency Bed | | | | |
| Total Patients Admitted | | | | | | |
| Total Inpatient Days | | | | | | |
| Diagnostic/Other Services | | | | | Unit | Number |
| X-ray | | | | | Number | |
| Ultrasonogram (USG) | | | | | Number | |
| Echocardiogram (Echo) | | | | | Number | |
| Electro Encephalo Gram (EEG) | | | | | Number | |
| Electrocardiogram (ECG) | | | | | Number | |
| Treadmill | | | | | Number | |
| Computed Tomographic (CT) Scan | | | | | Number | |
| Magnetic Resonance Imaging (MRI) | | | | | Number | |
| Endoscopy | | | | | Persons | |
| Colonoscopy | | | | | Persons | |
| Bronchoscopy | | | | | Persons | |
| Nuclear Medicine | | | | | Persons | |
| Mammogram | | | | | Persons | |
| Cystoscopy | | | | | Persons | |
| DEXA Scan | | | | | Persons | |
| DTPA Scan | | | | | Persons | |
| Electroconvulsive Therapy (ECT) | | | | | Persons | |
| Transcranial Magnetic Simulation (TMS) | | | | | Persons | |
| Total Laboratory Services Provided | | | | | Persons | |
| Others (if any) | | | | | Persons | |

| Free Service Received by Impoverished Citizen | Female | Male |
|-----------------------------------------------|--------|------|
| Heart | | |
| Kidney | | |
| Cancer | | |
| Head Injury | | |
| Spinal Injury | | |
| Alzheimer | | |
| Parkinson | | |
| Sickle Cell Anaemia | | |

| ORC Clinics/FCHV | Planned/ Total No. | Conducted/ Report Received | No. of Clients Served | | |
|---------------------------|--------------------|----------------------------|-----------------------|-----------|--|
| Outreach Clinic | | | | | |
| Immunization Clinic | | | | | |
| Immunization Session | | | | | |
| Hygiene Promotion Session | | | | | |
| FCHV | | | | | |
| Referrals | Referral In | Referred Out | | | |
| | | Outpatient | In-patient | Emergency | |
| Female | | | | | |
| Male | | | | | |

| Available Services (Circle the appropriate code) | Services | | Available Services (Circle the appropriate code) | Services | |
|--------------------------------------------------|----------|----|--------------------------------------------------|----------|----|
| | Yes | No | | Yes | No |
| Birthing Center | 1 | 2 | DOTS Site | 1 | 2 |
| BEONC Site | 1 | 2 | Microscopy Site | 1 | 2 |
| CEONC Site | 1 | 2 | Laboratory Service | 1 | 2 |
| Safe Abortion Service (SAS) Site | 1 | 2 | HTC Site | 1 | 2 |
| IUCD Service Site | 1 | 2 | PMTCT Site | 1 | 2 |
| Implant Service Site | 1 | 2 | CB-PMTCT Site | 1 | 2 |
| Adolescent Friendly Service Site | 1 | 2 | ART Site | 1 | 2 |
| OTC Site | 1 | 2 | Others (Specify)..... | 1 | 2 |

| Minimum Service Standard (MSS) | Date | Implementation | | Score (%) |
|--------------------------------|----------|----------------|-----------|-----------|
| | DD/MM/YY | 1. First | 2. Second | |
| | | | | |

Prepared by:

Signature

1. Summary of Indoor Services

| A. Inpatient Outcome | | | | | | | | | | | | | | |
|----------------------|-----------------|------|--------|------|--------------|------|-----------|------|-----------|------|------------------|------|------------------|------|
| Age Group | Recovered/Cured | | Stable | | Referred Out | | DOPR/LAMA | | Absconded | | Death < 48 Hours | | Death ≥ 48 Hours | |
| | Female | Male | Female | Male | Female | Male | Female | Male | Female | Male | Female | Male | Female | Male |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| 0-7 Days | | | | | | | | | | | | | | |
| 8-28 Days | | | | | | | | | | | | | | |
| 29 Days - <1 Year | | | | | | | | | | | | | | |
| 01 - 04 Years | | | | | | | | | | | | | | |
| 05 - 14 Years | | | | | | | | | | | | | | |
| 15 - 19 Years | | | | | | | | | | | | | | |
| 20 - 29 Years | | | | | | | | | | | | | | |
| 30 - 39 Years | | | | | | | | | | | | | | |
| 40 - 49 Years | | | | | | | | | | | | | | |
| 50 - 59 Years | | | | | | | | | | | | | | |
| 60-69 Years | | | | | | | | | | | | | | |
| ≥ 70 Years | | | | | | | | | | | | | | |

| Neonate Form | Gestational Weeks | | | |
|--------------|-------------------|-------|-------|------|
| | 22-27 | 28-36 | 37-41 | ≥ 42 |
| 1 | 2 | 3 | 4 | 5 |
| Primi | | | | |
| Multi | | | | |
| Grand Multi | | | | |

| Maternal Age (Yrs) | < 20 | | | | |
|--------------------|---------|--|--|--|--|
| | 20 - 34 | | | | |
| | ≥ 35 | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| Medico-Legal Cases | Male | Female |
|--------------------|------|--------|
| | | |

| Type of Surgeries | Number of Surgeries | | Post Operative Infection |
|-------------------|---------------------|------|--------------------------|
| | Female | Male | |
| 1 | 2 | 3 | 4 |
| Major | Emergency | | |
| | Inpatient | | |
| Intermediate | Emergency | | |
| | Inpatient | | |
| Minor | Outpatients | | |
| | Inpatients | | |
| | Emergency | | |
| Plaster | | | |

| Death Information | | Female | Male |
|-------------------|-----------------|--------|------|
| 1 | | 2 | 3 |
| Hospital Death | Early Neonatal | | |
| | Late Neonatal | | |
| | Maternal (All) | | |
| | Post-operative* | | |
| | Emergency | | |
| | Inpatient | | |
| Brought Dead | | | |
| Postmortem Done | | | |

* Including Neonatal & Maternal Death

| Free Health Service Summary | | |
|-----------------------------|-----------------|---------------------------|
| Cost Exemption | No. of Patients | Total Exempted cost (NRS) |
| 1 | 2 | 3 |
| Partially | | |
| Completely | | |

| Free Health Services and Social Security Programme | | | | | | | |
|----------------------------------------------------|------------------|---------------------|----------|-------------------------|------|-----------------------|--------|
| Patients at | Ultra Poor/ Poor | Helpless/ Destitute | Disabled | Sr. Citizens > 60 Years | FCHV | Gender Based Voilence | Others |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| Outpatients | | | | | | | |
| Inpatients | | | | | | | |
| Emergency | | | | | | | |
| Referred Out | | | | | | | |

१. खोप कार्यक्रम

| खोपको प्रकार | बि.सी.जी. (BCG) | रोटा (Rota) | | पोलियो (OPV) | | | एफ.आई.पि.भी (FIPV) | | पी.सी.भी. (PCV) | | | डी.पी.टी.-हेप वि.-हिब. (DPT, Hep-B, Hib) | | | दादुरा-रुबेला (MR) | | जे.ई. (IE) | टाईफाइड (TCV) | २३ महिना भित्र पूर्ण खोप प्राप्त गरेका बच्चा संख्या | एच.पि.भि. (HPV) | | टि. डी. (गर्भवती महिला) (Td) | | | २४-५९ महिना मा खोप शुरु गरेका बच्चा | AEFI Cases (जनामा) | | | |
|-----------------------------------|-------------------------|----------------------|--------|--------------|--------|--------|--------------------|--------|-----------------|--------|--------|------------------------------------------|--------|--------|--------------------|--------|------------|---------------|-----------------------------------------------------|-----------------|--------|------------------------------|---------|--------|-------------------------------------|--------------------|--|--|--|
| | | पहिलो | दोस्रो | पहिलो | दोस्रो | तेस्रो | पहिलो | दोस्रो | पहिलो | दोस्रो | तेस्रो | पहिलो | दोस्रो | तेस्रो | पहिलो | दोस्रो | | | | पहिलो | दोस्रो | दोस्रो+ | सामान्य | गम्भिर | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | | | |
| खोप पाएका बच्चाहरूको संख्या (जना) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| खोप (डोज) | यस महिनामा प्राप्त भएको | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | खर्च भएको | खोप दिन खोलेको | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | अन्य कारणले बिग्रेको | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | फिर्ता | | | | | | | | | | | | | | | | | | | | | | | | | | | |

२. नवजात शिशु तथा वालरोगको एकीकृत व्यवस्थापन कार्यक्रम (IMNCI)

| २ महिना भन्दा कम उमेरका शिशु | जन्मा बिरामी | | बच्चाको बर्गिकरण (संख्यामा) | | | | | | | | | | | उपचार | | | | रेफर | फलोअप | मृत्यु | | | | | | | |
|------------------------------|--------------|-----------|-----------------------------|-----------|----------|-----------|-----------------|-----------|------------------------|-----------|----------|-----------|-------------------------|-----------|------------|-----------|--------------|------|-------|------------------------------------------|----|-------------------|----------|-----------|---------|----------|-----------|
| | | | गम्भीर संक्रमण | | निमोनिया | | स्थानिय संक्रमण | | कडा कमल पित्त (जण्डिस) | | कम तौल | | स्तनपान सम्बन्धि समस्या | | एम्पिसिलिन | | एमोक्सिसिलिन | | | जेन्टामाइसिन (गम्भिर संक्रमण भएका मात्र) | | अन्य एन्टीबायोटिक | ≤ २८ दिन | २९-५९ दिन | ०-७ दिन | ८-२८ दिन | २९-५९ दिन |
| | ≤ २८ दिन | २९-५९ दिन | ≤ २८ दिन | २९-५९ दिन | ८-२८ दिन | २९-५९ दिन | ≤ २८ दिन | २९-५९ दिन | ≤ २८ दिन | २९-५९ दिन | ≤ २८ दिन | २९-५९ दिन | ≤ २८ दिन | २९-५९ दिन | ≤ २८ दिन | २९-५९ दिन | पहिलो डोज | | | पुरा डोज | | | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 |
| स्वास्थ्य संस्था (HMIS 2.4) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| गाउँघर क्लिनिक (HMIS 9.2) | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| २ देखि ५९ महिना सम्मका बच्चा | जन्मा बिरामी | | बर्गिकरण | | | | | | | | | | | उपचार | | | | रेफर | मृत्यु | | | | | | | | | | | | | | | |
|------------------------------|-------------------------|----------|----------------------------|----------------|---------------|--------------|--------------|----------|----------------|---------------------------------------------------------------------|--------|--------------|-------|--------------|------------|-------------|------|------|-------------------------------------------|-------|-------------------|-----------|------|------------------|-----------|------|-----------------|------------------|----------------------|----|----|----|----|----|
| | | | स्वास्थ्यप्रस्था | | झाडापखाला | | | ओलो | | धेरै कडा ज्वरोजस्तो रोग/ कडा जटिल ओलो (Very Severe Febrile Disease) | दादुरा | कानको समस्या | ज्वरो | मध्यम कुपोषण | कडा कुपोषण | रक्त-अल्पता | अन्य | | निमोनियाको लागि एमाक्सिसिलिन द्वारा उपचार | फलोअप | स्वास्थ्य प्रस्था | झाडापखाला | अन्य | स्वास्थ्यप्रस्था | झाडापखाला | अन्य | २ देखि ११ महिना | १२ देखि ५९ महिना | | | | | | |
| | निमोनिया नभएको रूपाखोकी | निमोनिया | कडा निमोनिया/ धेरै कडा रोग | जलवियोजन नभएको | केहि जलवियोजन | कडा जलवियोजन | दोष झडापखाला | आँज/ रगत | फाल्सियारम ओलो | | | | | | | | | | | | | | | | | | | | फाल्सियारम नभएको ओलो | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 |
| स्वास्थ्य संस्था (HMIS 2.4) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| गाउँघर क्लिनिक (HMIS 9.2) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

३. पोषण कार्यक्रम

| यस महिनामा बृद्धि अनुगमनका लागि दर्ता भएका बच्चा | बृद्धि अनुगमन गरिएका बालबालिकाहरूको पोषण स्थिति | | | | | | बृद्धि अनुगमनका लागि दर्ता गरिएका २३ महिना पुरा गरेका जन्मा बालबालिकाको संख्या | बृद्धि अनुगमनका लागि दर्ता गरिएका २३ महिना पुरा गरेका बालबालिकाले तौल लिएको जन्मा पटक | आइरन/जुकाको औषधी पाएका गर्भवती महिला | | | क्याल्सियम चक्की पाएका महिला | आइरन/भिटामिन ए पाएका सुकेरी महिला | | भिटामिन ए/जुकाको औषधी पाएका ५ वर्ष भन्दा कम उमेरका बालबालिका (अर्ध-बार्षिक) | | जुकाको औषधी पाएका छात्रा/छात्रहरू (अर्ध-बार्षिक) | | | |
|--------------------------------------------------|-------------------------------------------------|-------|-----------|-------------|-------|-----------|--------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|--------------------------------------|----------------|-------------|------------------------------|-----------------------------------|-----------|-----------------------------------------------------------------------------|-------------|--------------------------------------------------|-------|---------|----------|
| | ०-११ महिना | | | १२-२३ महिना | | | | | पहिलो पटक आइरन चक्की | १८० आइरन चक्की | जुकाको औषधी | | ४५ आइरन चक्की | भिटामिन ए | भिटामिन ए | जुकाको औषधी | छात्रा | छात्र | | |
| | सामान्य | जोखिम | अति जोखिम | सामान्य | जोखिम | अति जोखिम | | | | | | | | | | | | | ६-११ म. | १२-५९ म. |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | |
| पहिलो पटक भेट | | | | | | | | | | | | | | | | | | | | |
| दोहो-याइ आएको | | | | | | | | | | | | | | | | | | | | |

शिशु कुपोषणको एकीकृत व्यवस्थापन (IMAM) कार्यक्रम

| उमेर समूह (महिना) | बालबालिका | गर्भमाथि अन्त्य सम्मका बच्चा | | भर्ना गरिएका | | रेफर भई आएका | | डिस्चार्ज भएको | | | | | | | | स्थानान्तरण भई अन्त्य भएको | | महिनाको अन्त्यमा जम्मा बालबालिका | | | | | | |
|----------------------|----------------|------------------------------------|-----|--------------|-----|-----------------|-----|----------------|-----|--------------|-----|-------------|-----|-----------------|-----|-------------------------------|-----|----------------------------------------|-----|---------------|----|---------------------|----|--|
| | | | | नयाँ भर्ना | | | | पुनः भर्ना | | निको भएको | | मृत्यु भएको | | डिफल्टर भएको | | | | | | निको नभएको | | अस्पतालमा पठाएको | | |
| | | मध्यम | कडा | मध्यम | कडा | मध्यम | कडा | मध्यम | कडा | मध्यम | कडा | मध्यम | कडा | मध्यम | कडा | मध्यम | कडा | मध्यम | कडा | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | |
| ६-५९ महिना | बालिका बालक | | | | | | | | | | | | | | | | | | | | | | | |
| < ६ महिना | बालिका बालक | | | | | | | | | | | | | | | | | | | | | | | |

शिशु तथा बाल्यकालिन पोषण र बाल भीटा प्रवर्धन कार्यक्रम

| उमेर समूह (महिनामा) | पहिलो पटक | | दोस्रो पटक | | तेश्रो पटक | |
|------------------------|----------------|------------------|----------------|------------------|----------------|------------------|
| | म.स्वा.स्व.से. | स्वास्थ्य संस्था | म.स्वा.स्व.से. | स्वास्थ्य संस्था | म.स्वा.स्व.से. | स्वास्थ्य संस्था |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| ६-११ | | | | | | |
| १२-१७ | | | | | | |
| १८-२३ | | | | | | |

शिशु तथा बाल्यकालिन पोषण (IVCF)

| 1 | 2 |
|---------------------------------------------------|---|
| शिशुलाई जन्मेको ६ महिनासम्म स्तनपान मात्रै गराएका | |
| समयमै थप आहार खुवाउन शुरु गरेका | |

Fortified Flour Distribution

| 3 | 4 | 5 |
|--------------------|----------------|---|
| बालबालिकाको संख्या | बालिका बालक | |
| गर्भवती महिला | | |
| सुत्केरी महिला | | |

किशोरी लक्षित स्वास्थ्य तथा पोषण कार्यक्रम

| 1 | 2 | 3 | 4 | 5 |
|---------------------------------------------|---------------|----------|------------------|---------------|
| आइरन फोलिक एसिड चक्की खाएका किशोरीको संख्या | अवधि | बिद्यालय | स्वास्थ्य संस्था | म.स्वा.स्व.से |
| | १३ हप्ता सम्म | | | |
| | २६ हप्ता सम्म | | | |

४. स्वास्थ्य प्रवर्धन तथा स्वास्थ्य शिक्षा कार्यक्रम

| 1 | 2 | 3 | 4 |
|---------------|----------|--------|------|
| | बिद्यालय | समुदाय | अन्य |
| सेसन संख्या | | | |
| सहभागी संख्या | | | |

५. महिला सामुदायिक स्वास्थ्य स्वयं सेविका कार्यक्रम

| सुरक्षित मातृत्व/ परिवार नियोजन कार्यक्रम | इकाई | संख्या |
|-----------------------------------------------------|-----------------------------------------------|-------------------------------------------------------------------|
| 1 | 2 | 3 |
| आमा समूहको बैठक बसेको | पटक | |
| गर्भवती महिलालाई भेट गरेको | जना | |
| गर्भवती महिलालाई आईरन चक्की वितरण | जना | |
| घरमा प्रसूति | मातृ सुरक्षा चक्की खाएको सुनिश्चित | जना |
| | जीवित जन्म भएका शिशु | जना |
| | मृत जन्म भएका शिशु | जना |
| | निसास्सीएको नवजात शिशुको व्यवस्थापन | जना |
| | जन्मने बित्तिकै आमाको छातीसंग टासेर राखेको | जना |
| | नाभीमा नाभिमलम लगाइएका शिशु | जना |
| | जन्मेको १ घण्टाभित्र स्तनपान गराएको | जना |
| | कम जन्म तौल भएका शिशु (१.५ - < २.५ के.जी.) | जना |
| | थेरै कम जन्म तौल भएका शिशु (< १.५ के.जी.) | जना |
| | नवजात शिशु र सुत्केरी महिलालाई जाँच भेट गरेको | जन्मेको २४ घण्टा भित्र जन्मेको तेस्रो दिन जन्मेको सातौं दिन |
| भिटामिन ए वितरण गरिएका सुत्केरी महिला | जना | |
| कण्डम वितरण गरेको | गोटा | |
| पिल्स वितरण गरेको | साईकल | |
| आकस्मिक गर्भनिरोधक चक्की वितरण गरेको डोज | डोज | |
| आकस्मिक गर्भनिरोधक चक्की वितरण गरेका महिलाको संख्या | जना | |

| मातृ मृत्यु (स्वास्थ्य संस्था बाहेक) | संख्या |
|--------------------------------------|--------|
| 1 | 2 |
| गर्भवस्था | |
| प्रसूती अवस्था | |
| सुत्केरी अवस्था | |

| नवशिशु तथा बालरोगको एकीकृत व्यवस्थापन (IMNCI) | संख्या |
|-----------------------------------------------|----------------------------------|
| 1 | 2 |
| २ महिना भन्दा कम (उमेर) | ≤ २८ दिन २९-५९ दिन |
| २-५९ महिना | स्वासप्रस्वास रोगका जम्मा बिरामी |
| | निमोनिया नभएका बिरामी |
| | झाडापखाला भएका बिरामी |
| | ओ. आर.एस. र जिंक चक्कीबाट उपचार |
| | ओ. आर.एस. खर्च (पुरिया) |
| मृत्यु | जिंक चक्की खर्च (चक्की) |
| | ०-७ दिन |
| | ८-२८ दिन |
| | २९-५९ दिन |
| | २-११ महिना |
| १२-५९ महिना | |

| शिशु कुपोषणको एकीकृत व्यवस्थापन (IMAM) कार्यक्रम | संख्या |
|----------------------------------------------------------------------------|------------------------------------------------------------------|
| 1 | 2 |
| एम.यु.ए.सी. छनौट | हरियो (हृष्टपुष्ट) |
| | पहेलो (मध्यम शिशु कुपोषण) |
| | रातो: (कडा शिशु कुपोषण) |
| घरघुसी भेट र आनुगमन | फुकेनास |
| | रातो: कडा शिशु कुपोषित बच्चा उपचार पछि निको भएको |
| | रातो: कडा शिशु कुपोषित बच्चा उपचार गरिरहँदा पनि तौल वृद्धि नभएको |
| रातो: कडा शिशु कुपोषित बच्चा उपचार गर्दा गर्दै स्वास्थ्य संस्था जान छाडेको | |

६. जनसंख्या व्यवस्थापन कार्यक्रम

| किशोरकिशोरी लक्षित बिद्यालय स्तरीय साथी शिक्षा कार्यक्रम | 1 | 2 |
|----------------------------------------------------------|--------|---|
| कार्यक्रम लागु भएको बिद्यालय संख्या | | |
| प्रतिवेदन गर्ने बिद्यालय संख्या | | |
| परामर्श पाएका जम्मा संख्या | छात्रा | |
| सुपरिवेक्षण गरिएका विद्यालय संख्या | छात्र | |
| संचालनमा रहेका सूचना केन्द्र संख्या | | |

| ७. मातृ तथा नवजात शिशु स्वास्थ्य कार्यक्रम | | | | | | | | | | | | | | | | |
|--------------------------------------------|---------------------|------------|--------------|-----------------------------------------------------------------|-----------------------------------------------------|--------------------------------|---------------------|------------|-------------------------------------|----------------------------|---------------|-----------------|---------------------|------------|----------------|--|
| गर्भवती जाँच (पटक) | महिलाको संख्या | | | Obstetric Complications | ICD 11 | Cases | Referred out | Death | मातृ तथा नवजात शिशु मृत्यु | | | | | | | |
| | < २० वर्ष | ≥ २० वर्ष | | | | | | | | | | | | | | |
| | 1 | 2 | 3 | | | | | | | | | | | | | |
| पहिलो (जुनसुकै समयको) | | | | Ectopic pregnancy | JA01 | | | | मातृ मृत्यु (संख्या) | नवजात शिशु मृत्यु (संख्या) | | | | | | |
| १२ हप्ता सम्म | | | | Abortion complication | JA05 | | | | गर्भवस्था | प्रसूति अवस्था | सुकेरी अवस्था | ०-७ दिन | ८-२८ दिन | | | |
| ४ पटक (१६, २०-२४, ३२ र ३६ हप्ता) | | | | Pre-eclampsia | JA24 | | | | 1 | 2 | 3 | 4 | 5 | 6 | | |
| ८ पटक (प्रोटोकल अनुसार) | | | | Eclampsia | JA25 | | | | स्वास्थ्य संस्था | | | | | | | |
| | | | | Hyperemesis gravidarum | JA60.0 | | | | स्वास्थ्य संस्था वाहेक | | | | | | | |
| | | | | Antepartum haemorrhage | JA41 | | | | सुरक्षित गर्भपतन सेवा | | १२ हप्ता सम्म | | १२ हप्ता माथि | | PAC सेवा पाएका | |
| प्रसूति सेवा | < २० वर्ष | ≥ २० वर्ष | | Prolonged labour | JB03 | | | | 1 | मौडिकल | सर्जिकल | मौडिकल | सर्जिकल | 6 | | |
| दक्ष प्रसूतिकर्मीबाट (SBA trained ANM) | | | | Obstructed Labor | JB06 | | | | गर्भपतन सेवा पाएका जम्मा महिला | < २० वर्ष | | | | | Induced | |
| दक्ष स्वास्थ्यकर्मीबाट (SHP) | | | | Gestational Hypertension | JA23 | | | | | ≥ २० वर्ष | | | | | | |
| अन्य स्वास्थ्यकर्मीबाट | | | | Ruptured uterus | JB0A.1 | | | | गर्भपतन पश्चात् प. नि. साधन अपनाएका | छाटा अबधि | | | | | Spontaneous | |
| घरमा प्रसूति संख्या | | | | Postpartum haemorrhage | JA43 | | | | | पाम्ना अबधि | | | | | | |
| | | | | Retained placenta | JA43.0 | | | | गर्भपतनका कारण भएको जटिलता | | | | | | | |
| | | | | Pueperal sepsis | JB40.0 | | | | ८. परिवार नियोजन कार्यक्रम | | | | | | | |
| | | | | C-Section Wound Infection | JB40.1 | | | | अस्थायी साधन | नयाँ प्रयोगकर्ता | | हाल आपनाई रहेका | सेवामा नियमित नभएका | साधन वितरण | | |
| | | | | Other complications | JB0Y | | | | < २० वर्ष | ≥ २० वर्ष | | | | इकाई | परिमाण | |
| प्रसूतिको किसिम | Foetal Presentation | | | अत्याधिक रक्तश्राव व्यवस्थापन | गर्भवति अवस्था (APH) | प्रसव अवस्था | सुकेरी अवस्था (PPH) | | | | | | | | | |
| 1 | Cephalic | Shoulder | Breech | 1 | 2 | 3 | 4 | | | | | | | | | |
| सामान्य (Spontaneous) | 2 | 3 | 4 | अत्याधिक रक्तश्राव व्यवस्थापनमा | रगत दिएको | | | | | | | | | | | |
| भ्याकुम/फोरसेप | | | | रगत नदिएको | | | | | | | | | | | | |
| शल्यक्रिया (C/S) | | | | जन्म तौल | जम्मा संख्या | जीवित जन्म | | | | | | | | | | |
| | | | | | | निःसाक्षिका | बिकलांग | | | | | | | | | |
| | | | | 1 | 2 | 3 | Major | Minor | Others | | | | | | | |
| | | | | सामान्य (≥ २.५ के.जी.) | | | | | | | | | | | | |
| | | | | कम (१.५ - < २.५ के.जी.) | | | | | | | | | | | | |
| | | | | धेरै कम (< १.५ के.जी.) | | | | | | | | | | | | |
| प्रसूतिको परिणाम | एकल बच्चा | बहु बच्चा | | जन्म तौल | | | | | | | | | | | | |
| 1 | 2 | जुम्ल्याहा | ≥ तिम्ल्याहा | 1 | 2 | 3 | 4 | 5 | 6 | 7 | | | | | | |
| आमाहरुको संख्या | | | | सामान्य (≥ २.५ के.जी.) | | | | | | | | | | | | |
| जम्मा जीवित जन्म | महिला | | | कम (१.५ - < २.५ के.जी.) | | | | | | | | | | | | |
| | पुरुष | | | धेरै कम (< १.५ के.जी.) | | | | | | | | | | | | |
| अवधि नपुगेको जन्म | | | | मृत जन्म संख्या | जन्मेको १ घण्टा भित्र स्तनपान गराएको शिशु को संख्या | नाभी मलम लगाएको शिशु को संख्या | | | | | | | | | | |
| | | | | 1 | 2 | 1 | 2 | | | | | | | | | |
| | | | | Fresh | | | | | | | | | | | | |
| | | | | Macerated | | | | | | | | | | | | |
| आमा सुरक्षा कार्यक्रम | महिला संख्या | | | सुकेरी तथा नवजात शिशु जाँच(संख्या) | | | | | | | | | | | | |
| 1 | 2 | पाउनुपर्ने | पाएका | 1 | स्वास्थ्य संस्थामा भएको प्रसूति | घरमा भएको प्रसूति | | | | | | | | | | |
| प्रोत्साहन | यातायात खर्च | 3 | 4 | 2 | सुकेरी | नवजात शिशु | सुकेरी | नवजात शिशु | | | | | | | | |
| | गर्भवती उत्प्रेरण | | | 3 | | | | | | | | | | | | |
| | | | | पहिलो पटक (२४ घण्टामा) | | | | | | | | | | | | |
| | | | | घरमा २ पटक (दोस्रो र तेस्रो पटक) | | | | | | | | | | | | |
| | | | | ३ पटक (२४ घण्टामा, ३ दिनमा र ७ देखि १४ दिन भित्र) | | | | | | | | | | | | |
| | | | | ४ पटक (२४ घण्टामा, ३ दिनमा, ७ देखि १४ दिन भित्र र ४२ दिन) | | | | | | | | | | | | |
| | | | | सुकेरी पश्चात प. नि. सेवा अपनाएका (सुकेरी भएको ४८ घण्टा भित्र) | | | | | 1 | 2 | 3 | 4 | | | | |
| | | | | सुकेरी पश्चात प. नि. सेवा अपनाएका (४८ घण्टा देखि एक बर्ष भित्र) | | | | | आई. यु. सी. डी. | इम्लान्ट | त्युबेक्टोमी | | | | | |
| | | | | | | | | | आई. यु. सी. डी. | इम्लान्ट | त्युबेक्टोमी | | | | | |
| | | | | | | | | | डिपो. | सायना प्रेस | पिल्स | | | | | |

१. प्रजनन स्वास्थ्य रुग्णता सेवा

| पाठेघरको मुखको क्यान्सर | | | | | | | स्तन क्यान्सर | | | | आङ्ग खस्ने समस्या (महिलाको संख्या) | |
|--------------------------------------|----------|----------|----------|----------|--------------------|----------|----------------------|----|----|------------------|------------------------------------|------------------|
| 1 | HPV DNA | | VIA | | Pap Smear & Others | | 1 | 2 | 3 | 4 | 1 | 2 |
| | Screened | Positive | Screened | Positive | Screened | Positive | | | | | Screened | 2 |
| 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | |
| ३०-४९ वर्षका महिलाको संख्या | | | | | | | Screened | | | | | Stage 1 & 2 |
| ५० वर्ष भन्दा माथिका महिलाको संख्या | | | | | | | Suspected | | | | | Stage 3 |
| Ablative Treatment गराएको (संख्यामा) | | | | | | | अक्सटेट्रिक फिस्टुला | | | | Ring pessary लगाईएको | |
| Colposcopy (संख्यामा) | | | | | | | Screened | | | Referred | | प्रेषण गरेको |
| | | | | | | | Suspected | | | शल्यक्रिया गरेको | | शल्यक्रिया गरेको |

१० क. गाउँघर क्लिनिक र समुदाय स्तर स्वास्थ्य कार्यक्रम

| 1 | | | 3 | | 4 | |
|--------------------------------------------------------------|-------------|-----------|----------------------------------------------------------|----------------|---|--|
| प्राथमिक उपचार गरेका | | | आइरन चक्की वितरण | नयाँ गर्भवती | | |
| तौल अनुगमन गरेका | ०-११ महिना | सामान्य | | दोहोर्याइ आएका | | |
| | | जोखिम | | सुकेरी महिला | | |
| | | अति जोखिम | भिटामिन ए पाएका सुकेरी महिला | | | |
| गर्भ जाँच गरेका महिला | १२-२३ महिना | सामान्य | कन्डम | गोटा | | |
| | | जोखिम | पिल्स | जना | | |
| | | अति जोखिम | | साईकल | | |
| सुकेरी जाँच गरेका महिला | | | डिपो | डोज | | |
| जुकाको औषधी पाएका गर्भवती | | | सायना प्रेस | डोज | | |
| जन्मेको ६ महिनासम्म स्तनपान मात्र गराएको | | | आकस्मिक चक्की | डोज | | |
| ६ महिनापछि स्तनपानका साथै ठोस, अर्धठोस र नरम खाना सुरु गरेको | | | उपचारमा नियमित नभएका बिरामीको खोज गरेको संख्या (क्षयरोग) | | | |
| | | | रक्त नमुना संकलन गरेको स्लाइड संख्या | | | |
| | | | आमा समुहको बैठकमा भाग लिएको | | | |

१० ख. नवशिशु स्याहार (Newborn Care)

| Number of sick babies admitted at SNCU/NICU/KMCU | | | | Male | Female | | | | |
|-----------------------------------------------------------------------------------|-------------------------|-----------------|-------|------------------------|-----------|-------------|---------------------------------------------------------------------------|----------------------------------------|---|
| 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| Number of sick babies admitted at SNCU/ NICU/ KMCU | Total neonates admitted | | | | | | | | |
| | Preterm | | | | | | | | |
| | LBW | | | | | | | | |
| | Hypothermia | | | | | | | | |
| | Asphyxia | | | | | | | | |
| | Sepsis | | | | | | | | |
| | Seizure | | | | | | | | |
| | Hyperbilirubin | | | | | | | | |
| | Congenital anomalies | | | | | | | | |
| | Others | | | | | | | | |
| Preterm/LBW/Hypothermia | | | | | | | | | |
| Management & Treatment Outcomes of small and/or sick newborns at SNCU/ NICU/ KMCU | | | | | | | Number of small and/or sick newborns managed with KMC at SNCU/ NICU/ KMCU | | |
| Treatment Outcomes (Number) | | | | Cases managed (Number) | | | Total number of days of stay in SNCU/ NICU/ KMCU | 4 | 5 |
| Improved | Referred | LAMA/ Absconded | Death | Package A | Package B | Package A+B | | Package A+B+C | 7 |
| | | | | | | | | LBW | |
| | | | | | | | | Preterm | |
| | | | | | | | | Hypothermia | |
| | | | | | | | | Preterm/LBW/ Hypothermia newborn cases | |

| ११. औलो निवारण कार्यक्रम (Malaria Elimination Program) | | | | | | |
|--------------------------------------------------------|-----|-------------------|----------------------|---------------|--------------------------|----------------------------------|
| रक्त नमूना संकलन | | परिक्षण तथा नतिजा | Microscopy बाट मात्र | RDT बाट मात्र | Microscopy र RDT दुवैबाट | औलोको उपचार पाएका विरामी संख्या |
| 1 | 2 | 1 | 2 | 3 | 4 | 1 2 |
| ACD | PCD | परिक्षण | | | | जम्मा संख्या |
| | | पोजेटिभ | | | | उपचार पाएका मध्ये गर्भवती संख्या |

| औलोको प्रकार | बर्गिकरण | ५ बर्ष भन्दा कम उमेर भएका | | ५ बर्ष वा सो भन्दा माथि उमेर भएका | |
|------------------------------------------|-------------------------------|---------------------------|-------|-----------------------------------|-------|
| | | महिला | पुरुष | महिला | पुरुष |
| 1 | 2 | 3 | 4 | 5 | 6 |
| Plasmodium Vivax (PV.) | स्थानीय | | | | |
| | आयातित | | | | |
| Relapse Plasmodium Vivax (PV.) | स्थानीय | | | | |
| | आयातित | | | | |
| Plasmodium Falciparum (PF) | स्थानीय | | | | |
| | आयातित | | | | |
| Plasmodium Mixed (PV+PF) | स्थानीय | | | | |
| | आयातित | | | | |
| Others (Ovale, Malariae, Knowlesi, etc.) | स्थानीय | | | | |
| | आयातित | | | | |
| औलो बिरामीको जम्मा संख्या | निश्चित गरिएको सामान्य बिरामी | | | | |
| | निश्चित गरिएको सिकिस्त बिरामी | | | | |
| मृत्यु संख्या | पि.भि | | | | |
| | पि.एफ | | | | |
| | पि.मिक्स | | | | |
| | अन्य | | | | |

| १२. कालाजार निवारण कार्यक्रम (Kala-Azar Elimination Programme) | | | | | | | | | | | | | |
|----------------------------------------------------------------|------------------|----------|---|----------|---|---------------------|----|----|-------|--------------|-------|--------|---|
| Patient Type | | Age/Sex | | | | Method of Diagnosis | | | | Treated With | | Deaths | |
| | | < 5 बर्ष | | ≥ 5 बर्ष | | RK-39 | BM | SP | Other | L, A/M* | Other | F | M |
| | | F | M | F | M | | | | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | |
| Indigenous | Within District | | | | | | | | | | | | |
| | Outside District | | | | | | | | | | | | |
| Foreigner | | | | | | | | | | | | | |

* Liposomal Amphotericin B/ Miltefosine

| १३. कुष्ठरोग निवारण कार्यक्रम (Leprosy Elimination Program) | | | | | |
|-------------------------------------------------------------|-------------------------------------------------------------|---------|-------|---------|-------|
| विवरण | | एम. बी. | | पि. बि. | |
| | | महिला | पुरुष | महिला | पुरुष |
| 1 | | 2 | 3 | 4 | 5 |
| कुल जम्मा बिरामी संख्या | १३.१ गत महिनाको अन्त्यमा जम्मा बिरामी संख्या | | | | |
| | १३.२ कहिल्यै पनि पहिले दर्ता नगरेका नयाँ बिरामी (New cases) | | | | |
| | १३.३ पुनः रोग बल्झिएका बिरामी (Relapsed cases) | | | | |
| | १३.४ फेरी उपचार शुरु गरेका बिरामी (Re-starter) | | | | |
| | १३.५ स्थानान्तरण भई आएका बिरामी (Transferred In) | | | | |
| | १३.६ अन्य थप भएका बिरामी (Other addition) | | | | |
| | १३.७ जम्मा बिरामीको संख्या (१३.१ देखि १३.६ सम्म) | | | | |
| १३.८ यस महिनामा सेवा लिन आएका जम्मा बिरामीको संख्या | | | | | |
| जम्मा घटाईएका बिरामी संख्या | १३.९ निर्देशन अनुसार उपचार पुरा गरेका (RFT) | | | | |
| | १३.१० स्थानान्तरण भई अन्यत्र गएका (Transfer Out) | | | | |
| | १३.११ फलोअप नभएका (Lost to Follow up) | | | | |
| | १३.१२ अन्य घटाईएका (Other Deduction) | | | | |
| | १३.१३ जम्मा घटाईएका (१३.९ देखि १३.१२ सम्म) | | | | |
| १३.१४ महिनाको अन्त्यमा जम्मा बिरामी (१३.७ बाट १३.१३ घटाउने) | | | | | |
| १३.१५ नयाँ बिरामी १३.२ मध्ये ०-१४ बर्षका बिरामीको संख्या | | | | | |
| १३.१६ महिनाको अन्त्यमा ०-१४ बर्षका बिरामीको संख्या | | | | | |
| १३.१७ नयाँ बिरामी (१३.२) मध्ये स्मेयर जाँच गरेको संख्या | | | | | |
| १३.१८ नया बिरामाहरुमा स्मेयर जाचका मध्य कटाणु दाखएका संख्या | | | | | |
| १३.१९ लेप्रा रियाक्सन | Type 1 | | | | |
| | Type 2 | | | | |
| | Neuritis | | | | |
| १३.२० अल्सर देखा परेका बिरामीको संख्या | | | | | |
| १३.२१ सम्पर्क परिक्षण गर्नुपर्ने index बिरामीको संख्या | | | | | |
| १३.२२ सम्पर्क परिक्षण भएका Index बिरामीको संख्या | | | | | |
| १३.२३ सम्पर्क परिक्षण गर्नु पर्ने सम्पर्क व्यक्तिको संख्या | | | | | |
| १३.२४ सम्पर्क परिक्षण गरिएका व्यक्तिको संख्या | | | | | |
| १३.२५ सम्पर्क परिक्षणबाट पता लागेका नयाँ बिरामीको संख्या | | | | | |
| १३.२६ बिदेशी नयाँ बिरामी संख्या | | | | | |

| असमर्थताको श्रेणी | श्रेणी ० | श्रेणी १ | श्रेणी २ | नयाँ बिरामी | कोहर्ट प्रतिवेदन | नयाँ दर्ता | जम्मा RFT भएका | जम्मा Loss to follow up | अन्य घटाईएका जम्मा | हाल उपचारमा रहेका |
|-------------------------------|----------|----------|----------|-------------|------------------------------|------------|----------------|-------------------------|--------------------|-------------------|
| 1 | 2 | 3 | 4 | 5 | १ | २ | ३ | ४ | ५ | ६ |
| नयाँ बिरामीमध्ये | | | | | एम. बी. बिरामी (१८ महिनाअघि) | | | | | |
| ०-१४ बर्षका नयाँ बिरामी मध्ये | | | | | पि. बी. बिरामी (९ महिनाअघि) | | | | | |

| १५. क्षयरोग नियन्त्रण कार्यक्रम (Tuberculosis Control Program) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------------------------------------|-----------------------------------------|----------|-------------------------------|----------------------------------|--------------|---------------------------|-----------------------|--------------|---------------|-----------------------|-------------------------------|----------|----------------------|-------------|---------------------|---------------------------------|-----------------------------------------------------|--------------------|-------|----------------------|-------|-------------------|-------------------|------------------|---|---|---|---|---|
| Case Registration (1) | | | | | | | | | | | | | Referred (2) | | | | | | | | | | | | | | | | |
| Type of TB | New | | Relapse | | TAF* | | TALF** | | OPT*** | | UPTH**** | | Type of TB | Self | Private Sector | Community | Contact Investigation | | | | | | | | | | | | |
| | F | M | F | M | F | M | F | M | F | M | F | M | | | | | | 1 | 2 | 3 | 4 | 5 | | | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 1 | 2 | 3 | 4 | 5 | | | | | | | | | | | | |
| Pulmonary (BC) | | | | | | | | | | | | | Pulmonary (BC) | | | | | | | | | | | | | | | | |
| Pulmonary (CD) | | | | | | | | | | | | | Pulmonary (CD) | | | | | | | | | | | | | | | | |
| Extra Pulmonary | | | | | | | | | | | | | Extra Pulmonary | | | | | | | | | | | | | | | | |
| Age group (3) | | | | | | | | | | | | | | | | | Contact Investigation and TB Preventive Therapy (4) | | | | | | | | | | | | |
| Type of TB | 0-4 Yrs | | 5-14 Yrs | | 15-24 Yrs | | 25-34 Yrs | | 35-44 Yrs | | 45-54 Yrs | | 55-64yrs | | 65 > Yrs | | Index TB Cases | No. family Members | | Members Investigated | | Diagnosed with TB | Eligible for TBPT | Enrolled on TBPT | | | | | |
| | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | | Child | Adult | Child | Adult | | | | 1 | 2 | 3 | 4 | 5 |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | | | | | |
| New (All) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Relapse (All) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Other (All) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Treatment Regimen (5) | | | | | | | | | | DST of TB Patient (6) | | | Presumptive TB (7) | | | | | | | | | | | | | | | | |
| Age Group | 2HRZE+ 4HR | | 2 HRZE + 7 HRE | | 6HRZE | | 6 HRZE+ Lfx | | TB Cases | Xpert | LPA | Sex | Presumptive TB cases | Screened by | | Diagnosed | | Enrolled | | | | | | | | | | | |
| | F | M | F | M | F | M | F | M | | | | | | X-ray | Symptoms | DS TB | DR TB | DS TB | DR TB | | | | | | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 1 | 2 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | | | | | | | | | | |
| Child (0-14) | | | | | | | | | New | | | Female | | | | | | | | | | | | | | | | | |
| Adults (>14) | | | | | | | | | Re-teat | | | Male | | | | | | | | | | | | | | | | | |
| Sputum Smear Examination by Microscopy (8) | | | Xpert MTB/RIF test result (9) | | | | | | | TB HIV Status (10) | | | | | TB and Tobacco (11) | | | | | | | | | | | | | | |
| Sex | No. of Presumptive TB Examined (Person) | | Sex | Mycobacterium Tuberculosis (MTB) | | | Rifampicin Resistance | | | Sex | HIV Test Result of TB Patient | | TB HIV Patients on | | TB Cases Registered | Patient Smoking Tobacco Current | | | | | | | | | | | | | |
| | Positive | Negative | | Detected | Not Detected | Error/ No result/ Invalid | Detected | Not Detected | Indeterminate | | Positive | Negative | ART | CPT | | | | | | | | | | | | | | | |
| 1 | 2 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 1 | 2 | 3 | 4 | 5 | 1 | 2 | | | | | | | | | | | | | |
| Female | | | Female | | | | | | | Female | | | | | | | | | | | | | | | | | | | |
| Male | | | Male | | | | | | | Male | | | | | | | | | | | | | | | | | | | |

१५. क्षयरोग नियन्त्रण कार्यक्रम (Tuberculosis Control Program)

Treatment Outcome (12)

| Registration Category | No. of Registered Cases | | Cured | | Completed | | Failed | | Died | | Lost to Follow Up | | Not Evaluated | |
|------------------------------------|-------------------------|---|-------|---|-----------|---|--------|---|------|----|-------------------|----|---------------|----|
| | F | M | F | M | F | M | F | M | F | M | F | M | F | M |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| PBC_New | | | | | | | | | | | | | | |
| PBC_Relapse | | | | | | | | | | | | | | |
| PBC_TAF* | | | | | | | | | | | | | | |
| PBC_TALF** | | | | | | | | | | | | | | |
| PBC_OPT*** | | | | | | | | | | | | | | |
| PBC_UPTH**** | | | | | | | | | | | | | | |
| PCD_New | | | | | | | | | | | | | | |
| PCD_Relapse | | | | | | | | | | | | | | |
| PCD_Other | | | | | | | | | | | | | | |
| EP_New | | | | | | | | | | | | | | |
| EP_Relapse | | | | | | | | | | | | | | |
| EP_Other | | | | | | | | | | | | | | |
| HIV Infected TB Patient (All form) | | | | | | | | | | | | | | |

TB Preventive Therapy Outcome (13)

| No of Case Enrolled | Completed | Not completed |
|---------------------|-----------|---------------|
| 1 | 2 | 3 |
| | | |

Tobacco Cessation-Outcome (14)

| Patient Smoking Tobacco Current (0 month) | No. of Patient Quitted Smoking | | |
|-------------------------------------------|--------------------------------|----------|------------------|
| | 2 Months | 5 Months | End of Treatment |
| 1 | 2 | 3 | 4 |
| | | | |

१६. एचआईभी कार्यक्रम

परिक्षण र परामर्श सेवा (HTC साइटहरूले मात्र भने)

| नतिवा सहित परामर्श र परिक्षण | सूचक | यौनकर्मी | | | सुइद्वारा लागू पदार्थ प्रयोग गर्नेहरू | | | पुरुष समलिंगी र तेस्रो लिंगी | | | रगत वा अन्य अंग लिनेहरू | | | यौनकर्मीका ग्राहकहरू | | | आप्रवासीहरू वा रोजगारीका लागि विदेशिनेहरू | | | आप्रवासीहरू वा रोजगारका लागि विदेश जानेहरूको जीवन साथी | | | जेलका कैदी बन्दीहरू | | | अन्य | | | उमेर समूह (जम्मा) | | |
|------------------------------|------|----------|----|-------|---------------------------------------|----|-------|------------------------------|----|-------|-------------------------|----|-------|----------------------|----|-------|-------------------------------------------|----|-------|--------------------------------------------------------|----|-------|---------------------|----|-------|------|----|-------|-------------------|-------|-----|
| | | म | पु | यौ.अ. | म | पु | यौ.अ. | म | पु | यौ.अ. | म | पु | यौ.अ. | म | पु | यौ.अ. | म | पु | यौ.अ. | म | पु | यौ.अ. | म | पु | यौ.अ. | म | पु | यौ.अ. | <१५ | १५-४९ | >४९ |
| | | १ | २ | ३ | ४ | ५ | ६ | ७ | ८ | ९ | १० | ११ | १२ | १३ | १४ | १५ | १६ | १७ | १८ | १९ | २० | २१ | २२ | २३ | २४ | २५ | २६ | २७ | २८ | | |
| परिक्षण | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| पोजिटिभ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

एचआईभी प्रारम्भिक शिशु निदान (EID) र आमा-वाट-बच्चामा संक्रमण (PMTCT) रोकथामका सेवाहरू

| यौन रोग संक्रमण व्यवस्थापन- ए आर टि केन्द्रहरू वा स्वास्थ्य संस्थाहरू द्वारा एच आई भी को जोखिममा भएका समूहहरू वा एच आई भी संक्रमितहरूलाई यौन रोगको (Syndromic or Aetiological) सेवाहरू प्रदान गरेको डाटा रिपोर्ट गर्न वनाइएको फाराम | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|----------------------------------------|-----------------------------------------|
| एच आई भी को जोखिममा भएका समूहहरू वा एच आई भी संक्रमितहरू | यौन रोगको सेवाको लागि आएका कुल सेवाग्राहीहरू | यौन रोगको निदान भएका कुल सेवाग्राहीहरू | यौन रोगको उपचार पाएका कुल सेवाग्राहीहरू |
| १ | २ | ३ | ४ |
| यौनकर्मीहरू (Sex workers) | | | |
| सुई द्वारा लागू पदार्थ लिने व्यक्तिहरू (PWIDs) | | | |
| पुरुष समलिंगी तथा तेस्रो लिंगीहरू (MSM and TG) | | | |
| रगत वा अंग प्राप्तकर्ताहरू (Blood or Organ recipient) | | | |
| महिला यौनकर्मीहरूका ग्राहकहरू (Clients of FSWs) | | | |
| आप्रवासीहरू वा रोजगारीका लागि विदेशिनेहरू (Migrants) | | | |
| प्रवासीहरूको जीवनसाथी (Spouse/Partner of migrants) | | | |
| गर्भवती महिलाहरू | | | |
| नवजात शिशुहरू | | | |
| जेलका कैदी बन्दीहरू | | | |
| एच आई भी संक्रमितहरू | | | |
| अन्य समूह | | | |

| यस अबधिमा एचआईभी परामर्श गरिएका, परिक्षण गरिएका र पोजिटिभ भएका महिलाहरूको संख्या (HMIS 3.6) (गर्भावस्था, प्रसूति तथा सुत्केरी अवस्थाका महिलाहरू) | | | | एआरटी शुरु गर्ने एचआईभी संक्रमित आमाको संख्या | |
|--------------------------------------------------------------------------------------------------------------------------------------------------|---------|---------|---------|-----------------------------------------------|--------------------------------------------------|
| 1 | 2 | 3 | 4 | 5 | 6 |
| | परामर्श | परिक्षण | पोजिटिभ | गर्भवती हुनु भन्दा पहिला (पुरानो) | गर्भावस्था, प्रसूति तथा सुत्केरी अवस्थामा (नयाँ) |
| | | | | | |

एचआईभी संक्रमित आमावाट जन्मिएका बच्चाहरू

| बच्चाहरूको संख्या (जीवित) | Early Infant Diagnosis (EID) [To be reported when report is received] | | | एआरटी शुरु गरेका एचआईभी पोजिटिभ बच्चाहरू (०-१८ महिना) |
|---------------------------|--------------------------------------------------------------------------|-----------------------------------------------------------|------------------------------------------------------------|-------------------------------------------------------|
| | एचआईभी पोजिटिभ पत्ता लागेका बच्चाहरूको संख्या (जन्मिएको २४ घण्टाभित्र) | एचआईभी पोजिटिभ पत्ता लागेका बच्चाहरूको संख्या (०-२ महिना) | एचआईभी पोजिटिभ पत्ता लागेका बच्चाहरूको संख्या (२-१८ महिना) | |
| 1 | 2 | 3 | 4 | 5 |
| | | | | |

| ओपियोइड प्रतिस्थापन थेरापी | महिला | पुरुष | यौ.अ. |
|--------------------------------------------------------------------------------------------------------------------------|-------|-------|-------|
| १ | २ | ३ | ४ |
| यस महिनाको अन्त्यसम्ममा मेथाडोनको सेवा लिईराखेका सेवाग्राहीहरूको कुल संख्या | | | |
| यस महिनाको अन्त्यसम्ममा बुप्रेनोर्फिनको सेवा लिईराखेका सेवाग्राहीहरूको कुल संख्या | | | |
| यस महिनाको अन्त्यसम्ममा ओपियोइड प्रतिस्थापन थेरापीको (बुप्रेनोर्फिन र मेथाडोन) सेवा लिईराखेका सेवाग्राहीहरूको कुल संख्या | | | |

| यस अबधिमा Syphilis परिक्षण गरिएका, पोजिटिभ पत्ता लागेका र उपचार पाएका गर्भवती महिलाहरूको संख्या | | |
|-------------------------------------------------------------------------------------------------|--------------|-------------|
| परिक्षण गरिएका | पोजिटिभ भएका | उपचार पाएका |
| 1 | 2 | 3 |
| | | |

*म: महिला, पु: पुरुष, यौ.अ: यौनिक अल्पसंख्यक

१६. एचआईभी एड्स कार्यक्रम (ए आर टि केन्द्रले मात्र रिपोर्ट गर्ने)

| एन्टिरेट्रोभाइरल उपचार: एचआईभी हेरचाहको स्थिति | यस महिनाको | उमेर समूह वर्षमा | | | | | जम्मा | लक्षित समूह अनुसार | | | | | | जम्मा |
|--------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------|-------|------|----------------|-------|-------|--------------------|---------------------------------------|-------------------------------------|-------------------------------------------|---------------------|------|-------|
| | | १५ वर्ष वा सो भन्दा माथि | | | १५ वर्ष मुनिका | | | यौनकर्मी | सुईद्वारा लागू पदार्थ प्रयोग गर्नेहरू | पुरुष समलिङ्गी तथा तेस्रो लिङ्गीहरू | आप्रवासीहरू वा रोजगारीका लागि विदेशिनेहरू | जेलका कैदी बन्दीहरू | अन्य | |
| | | महिला | पुरुष | यौ/अ | महिला | पुरुष | | | | | | | | |
| १ | २ | ३ | ४ | ५ | ६ | ७ | ८ | ९ | १० | ११ | १२ | १३ | १४ | १५ |
| गत महिनाको अन्त्यमा एआरटीमा रहेका सेवाग्राही | शुरुमा (१ ए) | | | | | | | | | | | | | |
| थप गर्ने संख्या | नयाँ एआरटी शुरु गरेका सेवाग्राही | नयाँ (१ बी) | | | | | | | | | | | | |
| | अन्य एआरटी केन्द्रबाट स्थानान्तरण भएर आएका सेवाग्राहीहरू (clients transferred in) | नयाँ (१ सी) | | | | | | | | | | | | |
| | पुनः उपचारमा (T.Out/MIS/LFU/ST) सामेल भएका सेवाग्राहीहरू | नयाँ (१ डी) | | | | | | | | | | | | |
| यस महिनामा एआरटीमा रहेका सेवाग्राहीको संख्या | शुरुमा (२) = १ ए + १ बी + १ सी + १ डी | | | | | | | | | | | | | |
| कटौती गर्ने / घटाउने संख्या | यस महिनामा एआरटी केन्द्रबाट बाहिर स्थानान्तरण (T.Out) भएका नयाँ सेवाग्राहीहरू | नयाँ T.Out (३ ए) | | | | | | | | | | | | |
| | यस महिनामा नयाँ मृत्यु रिपोर्ट भएका सेवाग्राहीहरू | नयाँ Death (३ बी) | | | | | | | | | | | | |
| | यस महिनामा हराइरहेका नयाँ सेवाग्राहीहरू | नयाँ Missing (३ सी) | | | | | | | | | | | | |
| | यस महिनामा फलो-अपमा हराइरहेका नयाँ सेवाग्राहीहरू | नयाँ Lost to Follow Up (३ डी) | | | | | | | | | | | | |
| | यस महिनामा उपचार रोकिएका नयाँ सेवाग्राहीहरू | नयाँ ST (३ ई) | | | | | | | | | | | | |
| यस महिनाको अन्त्यमा एआरटीमा रहेका सेवाग्राहीको संख्या | अन्त्यमा (४) = (२) - (३ ए + ३ बी + ३ सी + ३ डी + ३ ई) | | | | | | | | | | | | | |
| आफ्नो एचआईभीको अवस्था थाहा पाउने पीएलएचआईभीको संख्या (स्वतः गणना) | Alive (५) = ४ + ३ सी + ३ डी + ३ ई | | | | | | | | | | | | | |
| हाल एआरटीमा भाइरल लोडको लागि परीक्षण गरिएका ग्राहकहरूको संचयी संख्या | संचयी संख्या (cumulative number) (६) | | | | | | | | | | | | | |
| हाल एआरटीमा रहेको भाइरल लोड (भाइरल लोड 1000 प्रति/एमएल भन्दा कम) भएका ग्राहकहरूको संचयी संख्या | संचयी संख्या (cumulative number) (७) | | | | | | | | | | | | | |
| यस महिनाको अन्त्यमा एआरटीमा रहेका मध्य हेपाटाइटिस 'सि' (HCV) पत्ता लागेका जम्मा सेवाग्राहीहरूको संख्या | HCV पत्ता लागेको संख्या (HCV/HIV co-infection) (cumulative number) (८) | | | | | | | | | | | | | |
| यस महिनामा नयाँ एआरटी शुरु गरेका मध्य टि. वि. परिक्षण गरिएका सेवाग्राहीहरूको संख्या | टि. वि. परिक्षण गरिएका (TB Screening among New on ART) (९) | | | | | | | | | | | | | |
| यस महिनामा नयाँ एआरटी शुरु गरेका मध्य टि. वि. पत्ता लागेका सेवाग्राहीहरूको संख्या | टि. वि. पत्ता लागेका (TB Diagnosed among New on ART) (१०) | | | | | | | | | | | | | |

एच आई भी कार्यक्रम : अवसरवादी संक्रमण (Opportunistic Infection)

| अवसरवादी संक्रमण (Opportunistic Infections) | व्याक्टेरियल निमोनिया (Bacterial Pneumonia) | क्षयरोग (Tuberculosis) | क्याण्डिडियासिस (Candidiasis) | झाडा पखाला (Diarrhoea) | क्रिप्टोकोकल मेनिन्जाइटिस (Cryptococcal Meningitis) | निमोसाइटिस निमोनिया (Pneumocystis Pneumonia) | साइटोमेगटो भाइरस (Cytomegalo Virus) | हर्पेस जोस्टर (Herpes Zoster) | जेनाईटल हर्पेस (Genital Herpes) | टोक्सोप्लाज्मोसिस (Toxo-plasmosis) | अन्य (Others) | अवसरवादी संक्रमण र क्षयरोग (कुल सेवाग्राहीहरू) | | |
|------------------------------------------------------------|---------------------------------------------|------------------------|-------------------------------|------------------------|-----------------------------------------------------|----------------------------------------------|-------------------------------------|-------------------------------|---------------------------------|------------------------------------|---------------|------------------------------------------------|----|----|
| | १ | २ | ३ | ४ | ५ | ६ | ७ | ८ | ९ | १० | ११ | १२ | १३ | १४ |
| अवसरवादी संक्रमण निदान (Diagnosed) भएका कुल सेवाग्राहीहरू | | | | | | | | | | | | | | |
| अवसरवादी संक्रमणको उपचार (Treated) पाएका कुल सेवाग्राहीहरू | | | | | | | | | | | | | | |

१७. नसने रोग (Non-Communicable Diseases)

| Non-Communicable Diseases | | | | | | | | | | | Number of NCD Cause-Specific Deaths | | | | | | | | Mental Health | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------------------------|-------------|-----------|--------|--------|-----------|-------|-------|--------------|--------------|-------------------------------------------|-------------------------------------|-----------|-----------|--------|-----------|--------------|------------------------------------------------------------|----------------------------------------------------------------|------------------|-----------------|--------------------------------|-----------|-----------------------------------------------------|-------|--------------|-----------------------------------------------------------|--------------|--|----------|--|--|--|-----------------|---|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Number of NCD cases on Treatment (OPD/Emergency) | Client Type | | Gender | | Age Group | | | | Referred Out | Type of NCDs | Gender | | Age Group | | | | Number of Mental Health Cases on Treatment (OPD/Emergency) | Client Type | | Gender | | Age Group | | | | Referred Out | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | New | Follow Up | Male | Female | <20 | 20-29 | 30-69 | 70 and above | | | Male | Female | <20 | 20-29 | 30-69 | 70 and above | | New | Follow Up | Male | Female | <20 | 20-29 | 30-69 | 70 and above | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2 | 3 | 4 | 5 | 7 | 8 | 9 | 10 | 11 | 1 | 2 | 3 | 5 | 6 | 7 | 8 | 1 | 2 | 3 | 4 | 5 | 7 | 8 | 9 | 10 | 11 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hypertension | | | | | | | | | | Cardiovascular Disease | | | | | | | | Depression | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cardiovascular Disease | | | | | | | | | | Cancer | | | | | | | | Suicide Attempt | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Diabetes | | | | | | | | | | Diabetes | | | | | | | | Epilepsy | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cancer | | | | | | | | | | Chronic Respiratory Diseases | | | | | | | | Psychosis | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| COPD | | | | | | | | | | Suicide | | | | | | | | Anxiety Disorder | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Asthma | | | | | | | | | | Other NCDs | | | | | | | | Emotional and Behavioural Disorder of Children and Adolescents | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CKD | | | | | | | | | | Total number of new cancers cases managed | | | | | | | | Dementia | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RHD | | | | | | | | | | Type of Cancer | Gender | | Age Group | | | | Conversion Disorder | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stroke | | | | | | | | | | | Male | Female | <20 | 20-29 | 30-69 | 70 and above | Bipolar Disorder | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Heart Attacks | | | | | | | | | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | Other Mental Disorder | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thyroid Diseases | | | | | | | | | | Cervical | | | | | | | | Alcohol Use Disorder | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Congenital Heart Disease | | | | | | | | | | Oral | | | | | | | | Other Substance Use Disorders | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sickle cell diseases and other haemoglobinopathies | | | | | | | | | | Breast | | | | | | | | Type of Cases | | Number of Cases | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Alcohol Liver Diseases | | | | | | | | | | Lungs | | | | | | | | | New | Follow Up | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Obesity | | | | | | | | | | Others | | | | | | | | 1 | 2 | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Other NCDs cases | | | | | | | | | | Injuries | | | | | | | | | | | Total no of mental health case | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | Number of Cases | | | | | | | | Number of Deaths | | | | Total no of mental health case on regular follow up | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | Client Type | | Gender | | Age Group | | | | Referred Out | Gender | | Age Group | | | | Total no. of cases reporting improvement | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | New | Follow Up | Male | Female | <20 | 20-29 | 30-69 | 70 and above | | Male | Female | <20 | 20-29 | 30-69 | 70 and above | Control and Follow Up Cases for Hypertension and Diabetes | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | 2 | 3 | 4 | 5 | 7 | 8 | 9 | 10 | 11 | 14 | 15 | 17 | 18 | 19 | 20 | Type of Cases | Hypertension | | Diabetes | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | Road Traffic Injuries (RTI) | | | | | | | | | | | | | | | | | | | | | | 1 | 2 | | 3 | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | Fall | | | | | | | | | | | | | | | | | | | | | | Follow Up Cases | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | Burn | | | | | | | | | | | | | | | | | | | | | | Control Cases | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | Drowning | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | Bites | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | Occupational Injury | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | Violence | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | Self-Harm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

18. New Outpatient Morbidity (Including Under 5 yrs Children) - 1

| SN | ICD 11 | Name of Disease | Female | Male |
|----------------------------------------------------|---------|----------------------------------------|--------|------|
| 1 | 2 | 3 | 4 | 5 |
| A. Certain Infectious or Parasitic Diseases | | | | |
| 001 | 1F03 | Measles | | |
| 002 | 1C17 | Diphtheria | | |
| 003 | 1C12 | Whooping Cough | | |
| 004 | 1C15 | Neonatal Tetanus | | |
| 005 | 1C13 | Tetanus | | |
| 006 | 1B1Z | Tuberculosis | | |
| 007 | MB56 | Acute Flaccid Paralysis (AFP) | | |
| 008 | 1F02 | Rubella | | |
| 009 | 1D80 | Mumps | | |
| 010 | 1E90.0 | Chicken Pox | | |
| 011 | 1E51.OZ | Hepatitis B | | |
| B. Communicable, Vector Borne | | | | |
| 012 | 1D00 | Acute Encephalitis like Syndrome (AES) | | |
| 013 | 1F66 | Filariasis | | |
| 014 | 1F45 | Clinical Malaria | | |
| 015 | 1F42 | Malaria (Plasmodium Falciparum) | | |
| 016 | 1F42 | Malaria (Plasmodium Mix) | | |
| 017 | 1F41 | Malaria (Plasmodium Vivax) | | |
| 018 | 1F45 | Malaria (Relapse) | | |
| 019 | 1D2Z | Dengue Fever | | |
| 020 | 1F54.0 | Kala-azar/Leshmaniasis | | |
| 021 | 1C30.3 | Scrub Typhus | | |
| 022 | 1C85 | Japanese Encephalitis | | |
| C. Communicable, Water/Food Borne | | | | |
| 023 | 1A07 | Typhoid (Enteric Fever) | | |
| 024 | 1A40 | Acute gastro-enteritis (AGE) | | |
| 025 | 1A36.00 | Ameobic Dysentery/Amoebiasis | | |
| 026 | 1A02 | Bacillary Dysentery/Shigellosis | | |
| 027 | ME05.1 | Presumed non-infectious diarrhoea | | |
| 028 | 1A00 | Cholera | | |
| 029 | 1F90.2 | Intestinal Worms | | |
| 030 | ME10.1 | Jaundice | | |

| SN | ICD 11 | Name of Disease | Female | Male |
|------------------------------------------------|---------|-----------------------------------------------|--------|------|
| 6 | 7 | 8 | 9 | 10 |
| C. Communicable, Water/Food Borne | | | | |
| 031 | 1E50.0 | Hepatitis A | | |
| 032 | 1E51.3 | Hepatitis E | | |
| 033 | 029 | Volume Depletion (Dehydration) | | |
| 034 | 1A0Z | Bacterial Intestinal infection | | |
| D. Other Communicable Diseases | | | | |
| 035 | 1B20 | Leprosy | | |
| 036 | 1D01.Y | Meningitis | | |
| E. HIV/STI | | | | |
| 037 | 1C62 | HIV Infection | | |
| 038 | 1A70.OY | Urethral Discharge Syndrome (UDS) Gonococcal | | |
| 039 | MF40.2Y | Scrotal Swelling Syndrome (SSS) | | |
| 040 | MF3A | Vaginal Discharge Syndrome (VDS) | | |
| 041 | MD81.12 | Lower Abdominal Pain Syndrome (LAPS) | | |
| 042 | KA65.0 | Neonatal Conjunctive Syndrome (NCS) | | |
| 043 | GA6Z | Genital User Disease Syndrome (GUDS) - female | | |
| 044 | GB0Z | Genital User Disease Syndrome (GUDS) - male | | |
| 045 | BD90.Y | Inguinal Bubo Syndrome (IBS) | | |
| 046 | 1A6Z | Syphilis | | |
| F. Other Infected Diseases | | | | |
| 047 | CA4Z | ARI/Lower respiratory tract infection (LRTI) | | |
| 048 | CA07.0 | Upper respiratory tract infection (URTI) | | |
| 049 | CA40 | Pneumonia | | |
| 050 | CA40 | Severe pneumonia | | |
| 051 | CA20 | Bronchitis (Acute & chronic) | | |
| 052 | GC08 | Urinary Tract Infection (UTI) | | |
| 053 | 1E32 | Viral Influenza | | |
| 054 | GA0Z | Reproductive Tract Infection (RTI) - Female | | |
| 055 | GB07 | Reproductive Tract Infection (RTI) - Male | | |
| G. Nutritional & Metabolic Disorder | | | | |
| 056 | 5A01 | Goitre, Cretinism | | |
| 057 | 5A14 | Diabetes Mellitus (DM) | | |
| 058 | 5B7Z | Malnutrition | | |

18. New Outpatient Morbidity (Including Under 5yrs Children) - 2

| SN | ICD 11 | Name of Disease | Female | Male |
|------------------------------------------------|--------|------------------------------------------|--------|------|
| 1 | 2 | 3 | 4 | 5 |
| G. Nutritional & Metabolic Disorder | | | | |
| 059 | 5B7Y | Avitaminoses & other nutrient deficiency | | |
| 060 | 5B81 | Obesity | | |
| 061 | 3A9Z | Anaemia/Polyneuropathy | | |
| 062 | 8C0Z | Polyneuritis | | |
| H. Skin Diseases | | | | |
| 063 | ED80 | Acne | | |
| 064 | 1A95 | Warts | | |
| 065 | ED60.1 | Chloasma/ melasma | | |
| 066 | EB05 | Urticaria | | |
| 067 | EA8Z | Dermatitis/Eczema | | |
| 068 | ED70 | Alopecia | | |
| 069 | 1B70 | Cellulitis | | |
| 070 | 1G00 | Pediculosis (Lice) | | |
| 071 | ED63.0 | Vitiligo | | |
| 072 | EC23.2 | Albinism | | |
| 073 | 1F00.0 | Herpes simplex | | |
| 074 | 1E91.Z | Herpes zoster | | |
| 075 | EB10 | Erythroderma | | |
| 076 | 1B72 | Impetigo | | |
| 077 | 1B75.0 | Boils | | |
| 078 | 1B75.3 | Abscess | | |
| 079 | 1B75.2 | Furunculosis | | |
| 080 | EA60 | Fungal infection (Lichen planus) | | |
| 081 | 1G04 | Scabies | | |
| 082 | 1A61.3 | Leukoderma | | |
| 083 | EA90 | Psoriasis | | |
| 084 | BD90.0 | Acute Lymphadenitis | | |
| 085 | NE4Z | Frostbite | | |
| I. Ear, Nose and Throat Infection | | | | |
| 086 | AA90 | Acute Suppurative Otitis Media | | |
| 087 | AA91 | Chronic Suppurative Otitis Media | | |
| 088 | CAOA | Sinusitis | | |
| 089 | CA03 | Acute Tonsillitis | | |

| SN | ICD 11 | Name of Disease | Female | Male |
|------------------------------------------|---------|-----------------------------------|--------|------|
| 6 | 7 | 8 | 9 | 10 |
| I. Ear, Nose and Throat Infection | | | | |
| 090 | CA02 | Pharyngitis/Sore throat | | |
| 091 | ND71 | Foreign body in ear | | |
| 092 | ND72.1 | Foreign body in nose | | |
| 093 | ND72.2 | Foreign body in throat | | |
| 094 | AA42 | Wax | | |
| 095 | CA0J | Nasal Polyps | | |
| 096 | CA0D | Deviated nasal septum (DNS) | | |
| 097 | CA09.0 | Rhinitis | | |
| 098 | AA3Z | Otitis externa | | |
| 099 | CA05.0 | Reflux laryngitis | | |
| 100 | 1B75.2 | Furunculosis of Ear | | |
| 101 | CA0Y | Nasal Vestibulitis | | |
| J. Oral Health Related Problems | | | | |
| 102 | DA08.0 | Dental caries | | |
| 103 | DA0A.Y | Toothache | | |
| 104 | DA0D | Periodontal disease (gum disease) | | |
| 105 | DA07.3 | Other disorder of teeth | | |
| 106 | DA01.10 | Oral ulcer (Aphthous & herpetic) | | |
| 107 | DA03.0 | Glossitis | | |
| 108 | DA01 | Stomatitis | | |
| 109 | DA07.8 | Tooth impaction | | |
| 110 | 3A70 | Hypoplasia | | |
| 111 | DA01.00 | Leukoplakia | | |
| 112 | 1F23 | Fungal infection (candidiasis) | | |
| 113 | DA01.30 | Oral space infection & abscess | | |
| 114 | DA08.4 | Stained Teeth | | |
| 115 | NA0D.01 | Chipped Tooth | | |
| 116 | LA30.3 | Hyperdontia | | |
| 117 | DA08.Y | Hypersensitivity | | |
| 118 | 2B6E | Oral cancer | | |
| 119 | DA0B.Y | Gingivitis | | |
| 120 | DA0C.Y | Periodontitis | | |
| 121 | DA02.1 | Dry Mouth | | |

18. New Outpatient Morbidity (Including Under 5yrs Children) - 3

| SN | ICD 11 | Name of Disease | Female | Male |
|------------------------------------|---------|--------------------------------------|--------|------|
| 1 | 2 | 3 | 4 | 5 |
| K. Eye Problems | | | | |
| 122 | 9A60.Z | Conjunctivitis | | |
| 123 | 1C23.Z | Trachoma | | |
| 124 | 9B10 | Cataract | | |
| 125 | 9D90 | Blindness | | |
| 126 | 9D00 | Refractive error | | |
| 127 | 9C61 | Glaucoma | | |
| 128 | 9D44 | Colour blindness | | |
| 129 | 9A20.00 | Exophthalmos | | |
| 130 | 9A01.20 | Stye (External Hordelum) | | |
| 131 | 9A02.01 | Chalazion | | |
| 132 | 9A61.1 | Pterygium | | |
| 133 | 9B71.0 | Diabetic retinopathy | | |
| 134 | 9B71.1 | Hypertensive retinopathy | | |
| 135 | 9A03.1 | Entropion | | |
| 136 | NA06 | Traumatic eye disease | | |
| 137 | 9A96 | Uveitis | | |
| 138 | 9B78.3 | Macular degeneration (age related) | | |
| 139 | 9D46 | Amblyopia (Lazy eye) | | |
| 140 | 9C8Y | Squint | | |
| 141 | 9B70 | Retinitis pigmentosa | | |
| 142 | MC1Y | Nightblindness/visual disturbance | | |
| 143 | 2D02.2 | Retinoblastoma | | |
| 144 | MC15 | Red Eye | | |
| 145 | 9A01.3 | Blepharitis | | |
| 146 | KB65.0 | Neonatal Conjunctivitis (NEOS) | | |
| L. Obstetrics Complications | | | | |
| 147 | JA01 | Ectopic Pregnancy | | |
| 148 | JA05.2 | Abortion Complication | | |
| 149 | JA23 | Pregnancy Induced Hypertension (PIH) | | |
| 150 | JA24.1 | Severe/ Pre-eclampsia | | |

| SN | ICD 11 | Name of Disease | Female | Male |
|------------------------------------------|--------|----------------------------------------------|--------|------|
| 6 | 7 | 8 | 9 | 10 |
| L. Obstetrics Complications | | | | |
| 151 | JA25.0 | Antepartum Eclampsia | | |
| 152 | JA25.1 | Intrapartum Eclampsia | | |
| 153 | JA25.2 | Postpartum Eclampsia | | |
| 154 | JA60.0 | Hyperemesis Gravidarum | | |
| 155 | JA41 | Antepartum Haemorrhage | | |
| 156 | JB03 | Prolonged labour | | |
| 157 | JB06 | Obstructed Labor | | |
| 158 | JBOA.1 | Ruptured Uterus | | |
| 159 | JA43 | Postpartum Haemorrhage | | |
| 160 | JA43.0 | Retained Placenta | | |
| 161 | JB0D | Other Complications of labor and delivery | | |
| 162 | JB40.0 | Pueperal Sepsis | | |
| M. Gynaecological Problems | | | | |
| 163 | GA05 | Pelvic Inflammatory Disease (PID) | | |
| 164 | GC40 | Prolapsed uterus | | |
| 164 | GA20 | Menstrual disorder | | |
| 165 | GA2Y | Disfunctional Uterine Bleeding (DUB) | | |
| 165 | GB31 | Sub- fertility (Female) | | |
| 166 | GB04 | Sub- fertility/ infertility (Male) | | |
| N. Mental Health related problems | | | | |
| 167 | 6D8Z | Dementia | | |
| 168 | 6C40.2 | Addiction (ch. acoholisim, Dipsomania, drug) | | |
| 169 | 6A20 | Schizophrenia | | |
| 170 | 6A23 | Acute psychotic disorder | | |
| 171 | 6A60.1 | Bipolar affective disorder | | |
| 172 | 6A7Z | Depression | | |
| 173 | 6B0Z | Phobic Anxiety | | |
| 174 | 6A22 | Pyschosis | | |
| 175 | 6A22 | Obsessive - compulsive disorder | | |
| 176 | 6B60 | Conversive disorder (Hysteria) | | |

18. New Outpatient Morbidity (Including Under 5yrs Children) - 4

| SN | ICD 11 | Name of Disease | Female | Male |
|-------------------------------------------------------------|--------|---------------------------------------|--------|------|
| 1 | 2 | 3 | 4 | 5 |
| N. Mental Health related problems | | | | |
| 177 | 6B00 | Neurosis | | |
| 178 | 6A00 | Mental retardation | | |
| 179 | 8A6Z | Epilepsy | | |
| 180 | 8A80 | Migraine | | |
| 181 | 6E8Z | Mental illness (unspecified) | | |
| 182 | MB24.3 | Anxiety Disorder | | |
| 183 | 6C40 | Alcohol Use Disorder | | |
| 184 | 6C4Z | Substance Use Disorder | | |
| O. Malignancy | | | | |
| 185 | 2C6Z | Breast cancer | | |
| 186 | 2C77 | Cervical/ uteri cancer | | |
| 187 | 2C25 | Lung/ bronchial Cancer | | |
| 188 | 2B70 | Oesophagus cancer | | |
| 189 | 2B72 | Stomach cancer | | |
| 190 | 2D10 | Thyroid cancer | | |
| 191 | 2C12.0 | Liver cancer | | |
| 192 | 2C10 | Pancreatic cancer | | |
| 193 | 2E03 | Bone/ Bone Marrow Cancer | | |
| 194 | 2C13 | Gall bladder cancer | | |
| 195 | 2B91 | Colorectal (colon with rectum) cancer | | |
| 196 | 2B6E | Oral cancer | | |
| 197 | 2B33.5 | Lymphoma cancer | | |
| 198 | 2C73 | Ovary cancer | | |
| 199 | 2C94 | Urinary bladder cancer | | |
| 200 | 2B6B | Nasopharyngeal cancer | | |
| 201 | 2C4Z | Head & neck cancer | | |
| 202 | 2D4Z | Other Cancer | | |
| 203 | 2B33 | Hematological malignancy | | |
| P. Cardiovascular & Respiratory Related Problems | | | | |
| 204 | BA00 | Hypertension | | |
| 205 | BD10 | Congestive heart failure | | |
| 206 | BD1Z | Cardiac heart failure | | |

| SN | ICD 11 | Name of Disease | Female | Male |
|-------------------------------------------------------------|---------|----------------------------------------------|--------|------|
| 6 | 7 | 8 | 9 | 10 |
| P. Cardiovascular & Respiratory Related Problems | | | | |
| 207 | CA22 | Chronic Obstructive Pulmonary Disease (COPD) | | |
| 208 | 1B40 | Acute rheumatic fever | | |
| 209 | BC20.1 | Rheumatic heart disease (RHD) | | |
| 210 | BA6Z | Ischemic heart disease | | |
| 211 | BE2Y | Other cardiovascular problems | | |
| 212 | CA23.32 | Bronchial asthma | | |
| Q. Other Diseases & Injuries | | | | |
| 213 | GB60 | Acute Renal failure | | |
| 214 | GB61 | Chronic Renal failure | | |
| 215 | GB40 | Nephritis | | |
| 216 | GB40 | Nephrotic syndrome | | |
| 217 | MB4D | Headache | | |
| 218 | MG26 | Pyrexia of Unknown Origin (PUO) | | |
| 219 | DA42 | Gastritis (APD) | | |
| 220 | PA75 | Insect/Wasp bite | | |
| 221 | MD81.4 | Abdominal Pain | | |
| 222 | DB93.1 | Cirrhosis of liver | | |
| 223 | NE2Z | Burns and Scalds | | |
| 224 | NE60 | Toxic Effect | | |
| 225 | PA7Z | Dog Bite | | |
| 226 | 1C82 | Other rabies susceptible animal bite | | |
| 227 | PA7Z | Snake bite: Poisonous | | |
| 228 | PA7Z | Snake bite: Non-poisonous | | |
| R. Orthopaedic Problems | | | | |
| 229 | FA20 | Rheumatoid arthritis | | |
| 230 | FA2Z | Arthritis | | |
| 231 | FA0Z | Osteo arthrosis | | |
| 232 | ME84 | Back ache (musculo- skeletal pain) | | |
| 233 | ME84.2 | Lower Back Pain (LBP) | | |
| 234 | MG30.02 | Lower Back Pain (LBP) chronic | | |
| 235 | ND56.2 | Fractures | | |

18. New Outpatient Morbidity (Including Under 5yrs Children) - 5

| SN | ICD 11 | Name of Disease | Female | Male |
|----------------------------------------------------|--------|----------------------------------------------|--------|------|
| 1 | 2 | 3 | 4 | 5 |
| R. Orthopaedic Problems | | | | |
| 236 | FB55 | Tendonitis | | |
| 237 | ND56.3 | Ligamentous Sprain | | |
| 238 | ME84.0 | Neck Pain | | |
| 239 | ME85 | Joint Stiffness | | |
| 240 | FA8Z | Spondylosis | | |
| 241 | FA84 | Spondylolisthesis | | |
| S. Surgical Problems | | | | |
| 242 | DA41.2 | Acid peptic disorders (disease) | | |
| 243 | DB50.0 | Anal Fissure | | |
| 244 | DB50.1 | Anal fistula | | |
| 245 | DB31.0 | Fistula of Intestine | | |
| 246 | GB70.0 | Renal stones | | |
| 247 | MF30 | Breast lumps (Adenoma) | | |
| 248 | GB21 | Mastitis (Ignored breast)/breast abscess | | |
| 249 | GB23.5 | Mastalgia breast | | |
| 250 | ME61 | Lumps (lipoma) | | |
| 251 | EK70.0 | Sebaceous cyst | | |
| 252 | EG63.0 | Pilonidal sinus | | |
| 253 | DB10. | Appendicitis | | |
| 254 | DC12. | Cholecystitis | | |
| 255 | DC11. | Cholelithiasis (gall stone) | | |
| 256 | DZD5 | Hernia | | |
| 257 | GB00 | Hydrocoele | | |
| 258 | GB05.2 | Phimosis/para-phimosis | | |
| 259 | DB60 | Haemorrhoids/Piles | | |
| 260 | GB02.1 | Epididymitis/ Orchitis | | |
| 261 | GA90 | Prostatism (BEP/BPH) | | |
| | | | | |
| T. Reasons for Contact with Health Services | | | | |
| 262 | QA00 | General Examination | | |
| 263 | QA03 | Routine general health checkup | | |
| 264 | QA08 | Screening Examination for infectious disease | | |

| SN | ICD 11 | Name of Disease | Female | Male |
|----------------------------------------------------|--------|------------------------------------------|--------|------|
| 6 | 7 | 8 | 9 | 10 |
| T. Reasons for Contact with Health Services | | | | |
| 265 | QA09 | Screening Examination for Neoplasms | | |
| 266 | QA1Z | Counseling | | |
| 267 | QA21 | Reason Associated with Reproduction | | |
| 268 | QA3Z | Procreative management | | |
| 269 | QA40 | Pregnancy Examination | | |
| 270 | QA45 | Antenatal Screening | | |
| 271 | QA48 | Postpartum care or Examination | | |
| 272 | QA49 | Problems related to unwanted pregnancy | | |
| 273 | QA4B | Menopausal Counselling | | |
| 274 | QB20 | Blood donor | | |
| 275 | QB83 | Follow up care involving plastic surgery | | |
| 276 | QB94 | Care involving Dialysis | | |
| 277 | QB95 | Care involving Rehabilitation procedures | | |
| 278 | QB96 | Radiotherapy session | | |
| 279 | QB97 | Chemotherapy session | | |
| 280 | QB9B | Palliative care | | |
| 281 | QF0Z | Acquired absence of body structure | | |
| U. Common Symptoms | | | | |
| 282 | MG3Z | General Consideration on Pain | | |
| 283 | MD30 | Chest Pain | | |
| 284 | MD11.5 | Breathlessness/ Shortness of Breath | | |
| 285 | MD12 | Cough | | |
| 286 | MD81 | Abdominal Pain | | |
| 287 | MD50.1 | Nause and Vomiting | | |
| 288 | MB4D | Headache | | |
| 289 | MG26 | Fever | | |
| 290 | MB48.0 | Dizziness and Vertigo | | |
| 291 | MG45 | Syncope (Sudden Collapse or LOC) | | |
| 292 | EC90.0 | Itching (Pruritus) | | |
| 293 | MG22 | Fatigue and Weakness (Generalized) | | |
| Total New OPD Visits | | | | |
| Total Old (repeated) OPD Visits | | | | |

18a. Common Emergency Diseases

| SN | ICD 11 | Name of Disease/ Condition | Female | Male | SN | ICD 11 | Name of Disease/ Condition | Female | Male | SN | ICD 11 | Name of Disease/ Condition | Female | Male |
|----------------------------------------|---------|---------------------------------------------------|--------|------|--------------------------------------------------|---------|-------------------------------------------|--------|------|-------------------------------------|--------|----------------------------------------|--------|------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 6 | 7 | 8 | 9 | 10 |
| A. Respiratory Emergencies | | | | | 35 | DC31 | Acute Pancreatitis | | | I. Ocular Emergencies | | | | |
| 1 | MD11.5 | Shortness of breath | | | 36 | DB50.0 | Strangulated/Obstructed Herina | | | 70 | ND70 | Foreign body Eye | | |
| 2 | CA22.0 | Acute exacerbation of (COPD) | | | 37 | DB30 | Intestinal Obstrucction | | | 71 | 9D5Y | Sudden loss of Vision | | |
| 3 | CA23.32 | Bronchial Asthma | | | 38 | ME24.3 | Hallow Viscus Perforation | | | 72 | ND99.1 | Chemical Injuries | | |
| 4 | CA40 | Pneumonia | | | 39 | DC50 | Peritonitis | | | J. Ent Emergencies | | | | |
| 5 | CA71.0 | Aspiration Pneumonia | | | 40 | MF56 | Renal Colic | | | 73 | MD20 | Epistaxis | | |
| 6 | CB21 | Pneumothorax | | | 41 | MF50.4 | Hematuria | | | 74 | NA00.2 | Foreign body ENT | | |
| 7 | MD22 | Hemoptysis | | | 42 | MF50.3 | Actute Retention of Urine | | | K. Burns | | | | |
| 8 | BB00.0 | Acute Pulmonary Embolism | | | 43 | GB01.0 | Testicular Torsion | | | 75 | NE2Z | Thermal burns | | |
| 9 | NF04 | Acute Mountain Sickness | | | 44 | GB05.3 | Paraphimosi | | | 76 | NF08.0 | Electrical and Lighetning Injuries | | |
| 10 | CA81.1 | High Altitude Pulmonary Edema (HAPE) | | | F. Gynecology and Obstetrical Emergencies | | | | | L. Mental Health Emergencies | | | | |
| 11 | 8D60.1 | High Altitude Cerebral Edema (HACE) | | | 45 | JA01 | Ectopic Pregnancy | | | 77 | 6C40.3 | Alcohol intoxication | | |
| 12 | CB41.0 | Acute Respiratory Failure | | | 46 | JA41 | Antepartum Haemorrhage | | | 78 | 6C40 | Alcohol use disorder | | |
| 13 | CB00 | Acute Respiratory Distress Syndrome | | | 47 | JB0A.1 | Ruptured Uterus | | | 79 | 6B00 | Anxiety disorder | | |
| B. Cardiac Emergencies | | | | | 48 | JA23 | Pregnancy Induced Hypertension (PIH) | | | 80 | 6B60 | Conversion Disorder | | |
| 14 | MD30 | Chest pain | | | 49 | JB06 | Obstructed Labour | | | 81 | 6A7Z | Depression | | |
| 15 | BA4Z | Acute Coronary Syndrome | | | 50 | JA43 | Postpartum Haemorrhage | | | 82 | 6A23 | Acute psychosis | | |
| 16 | BA41 | Acute Myocardial Infraction | | | 51 | JB40.0 | Puerperal pyrexia | | | M. Toxicological Emergencies | | | | |
| 17 | BC9Z | Arrhythmias-tachyarrhythmias and bradyarrhythmias | | | 52 | JA60.0 | Hypermesis Gravidraum | | | 83 | NE60 | Outline of Poisoning | | |
| 18 | CB01 | Actute Pulmonary Edema | | | G. Orthopaedic & Trauma | | | | | 84 | PB33 | Organophosphorus Poisoning | | |
| 19 | BB23 | Cardiac Tamponade | | | 53 | NA0Z | Head Injury | | | 85 | NE60 | Aluminium Phosphide | | |
| 20 | MG40.0 | Cardiogenic Shock | | | 54 | NB9Z | Abdominal and pelvic Injury | | | 86 | NE61 | Mushroom Poisoning | | |
| 21 | BA03 | Hypertensive Emergencies | | | 55 | NB3Z | Chest Injuries | | | 87 | NE61 | Wild Honey Poisoning | | |
| C. Neurological Emergencies | | | | | 56 | ND56 | Muskuloskeletal Injuries | | | 88 | NE61 | Dhatura Poisoning | | |
| 22 | MB20.1 | Coma | | | 57 | NF0A.6 | Compartment Syndrome | | | 89 | NE59 | Paracetamol Poisoning | | |
| 23 | 8A68 | Seizures | | | 58 | ND56.8 | Traumatic amputation | | | 90 | NE60 | Antidotes | | |
| 24 | 1D0Z | Acute CNS Infections | | | 59 | DA0Y | Toothace/Odontalgia | | | N. Bite | | | | |
| 25 | 8B20 | Cerebrovascular Accidents | | | 60 | NA0D.02 | Dental Fractures | | | 91 | PA7Z | Snake Bite | | |
| 26 | 8C01.0 | Guillain- Barre Syndrome (GBS) | | | 61 | NA03.0 | Temporomandibular joint (TMJ) Dislocation | | | 92 | PA7Z | Animal Bite | | |
| 27 | 8D60 | Raised Intracranial Pressure | | | 62 | MD80 | Gum Bleeding | | | 93 | 1C82 | Rabies | | |
| D. Gastrointestinal Emergencies | | | | | H. Metabolic Emergencies | | | | | 94 | PA75 | Insect Bite | | |
| 28 | MD81 | Abdominal pain | | | 63 | 5C77 | Hypoklaemia | | | O. Paediatric Emergencies | | | | |
| 29 | DA42 | Acute Gastritis | | | 64 | 5C76 | Hyperkalemia | | | 95 | KB8C | Diarrhoea | | |
| 30 | 1A40 | Acute Gastroenteritis | | | 65 | 5C70.1 | Hyponatremia | | | 96 | CA4Z | Acute Respiratory Tract infection | | |
| 31 | DB10.0 | Acute Appendicitis | | | 66 | 5C71 | Hypernatremia | | | 97 | CA06.1 | Acute epiglottitis | | |
| 32 | DC12.0 | Acute Cholecystitis | | | 67 | 5A41 | Hypoglycemia | | | 98 | CA05.0 | Laryngitis and laryngotracheobrochitis | | |
| 33 | ME24.9 | Gastrointestinal Bleeding (GIB) | | | 68 | 5A22.0 | Diabetic Ketoacidosis (DKA) | | | 99 | KB23 | Pneumonia | | |
| 34 | DB91 | Fulminant Hepatic Failure | | | 69 | 5A74.1 | Acute Adrenal Crisis | | | 100 | KB06 | Febrile Convulsions | | |

१९. प्रयोगशाला सेवा (Laboratory Services)

| Sl. No. | Test | No. | DE | Test | No. | DE | Test | No. | DE | Test | No. | DE | Test | No. | DE | Test | No. | DE | Test | No. | |
|--------------------|-----------------------|-------|-------------------|----------------------|-------|---------------------|-------------------------|------------|---------------------|----------------------|--------------------|-----------------|------------------|-------------------|--------------------------|------------------|-------------------------------|------------------------------------------|---------------|----------------|--------|
| HAEMATOLOGY | | | | | | | | | | | | | | | | | | | | | |
| | | | 33 | LD Bodies | | 64 | Amoebiasis | | 96 | Calcium | | 127 | Culture | Stool | | 158 | HBeAg | | 188 | Oestrogen | |
| 1 | HB | | 34 | Hb Electrophoresis | | 65 | PSA | | 97 | Phosphorus | | 128 | | Water | | 159 | Anti-HBe | | 189 | Progesterone | |
| 2 | RBC Count | | 35 | LE cell | | 66 | Ferritin | | 98 | Magnesium | | 129 | | Pus | | 160 | HbCag | | 190 | Testosterone | |
| 3 | TLC | | 36 | ALC | | 67 | Cysticercosis | | 99 | Uric acid | | 130 | | Sputum | | 161 | Anti HbCag | | 191 | Vit. D | |
| 4 | Platelets Count | | 37 | AEF | | 68 | Brucella | | 100 | Total Cholesterol | | 131 | | CSF | | 162 | Western blot | | 192 | Vit. B12 | |
| 5 | DLC | | 38 | FDP | | 69 | Thyroglobulin | | 101 | Triglycerides | | 132 | | Others | | 163 | CD4 count | | 193 | Others | |
| 6 | ESR | | 39 | D-dimer | | 70 | Anti TPO | | 102 | HDL | | 133 | Sputum AFB | | 164 | Viral load | | DRUG ANALYSIS | | | |
| 8 | MCV | | 40 | Fac VIII | | 71 | Protein Electrophoresis | | 103 | LDL | | 134 | Other AFB | | 165 | Others | | 194 | Carbamazepine | | |
| 9 | MCH | | 41 | Fac IX | | 72 | Anti-CCP | | 104 | Amylase | | 135 | Leprosy Smear | | PARASITOLOGY | | | 195 | Cyclosporine | | |
| 10 | MCHC | | 42 | Cross Matching | | 73 | RK-39 | Total | 105 | Micro albumin | | 136 | India Ink Test | | 166 | Stool R/E | | 196 | Valporic acid | | |
| 11 | RDW | | 43 | Others | | 74 | | + Ve | | 106 | Bilirubin | | 137 | Anaerobic Culture | | 167 | Occult blood | | 197 | Phenytoin | |
| 12 | Blood Group & Rh Type | | IMMUNOLOGY | | | 75 | JE | Total | 107 | SGPT | | 138 | Fungus | KOH Test | 168 | Reducing sugar | | 198 | Digoxine | | |
| 13 | Coombs test | | 44 | Pregnancy Test (UPT) | | 76 | + Ve | | 108 | Alk Phos | | 139 | | Culture | | 169 | Urine R/E | | 199 | Tacrolimus | |
| 14 | Retics | | 45 | ASO | | 77 | Dengue | Total | 109 | SGOT | | 140 | Others | | 170 | Bile salts | | 200 | Others | | |
| 15 | PBS/PBF | | 46 | CRP | | 79 | Rapid MP test | Total | 110 | Total Protein | | VIROLOGY | | | 171 | Bile pigments | | HISTOPATHOLOGY/ CYTOLOGY | | | |
| 16 | HbA1c | | 47 | RA Factor | | 80 | | + Ve PV | | 111 | Gamma GT | | 141 | HIV RDT | Total | 172 | Urobilinogen | | 201 | Biopsy | H & E |
| 17 | Special Stain | MPO | 48 | TPHA | Total | 81 | | + Ve PF | | 112 | 24hr Urine Protein | | 142 | | + Ve | 173 | Porphobilinogen | | 202 | | Others |
| 18 | | PAS | 49 | | + Ve | | 82 | + Ve P-Mix | | 113 | 24hr urine U/A | | 143 | HBSAg RDT | Total | 174 | Acetone | | 203 | Cytology | Pap |
| 19 | Sickling Test | | 50 | ANA | | 83 | Mantoux test | | 114 | Creatinine Clearance | | 144 | + Ve | 175 | Chyle | | 204 | Giemsa | | | |
| 20 | Urine for Hemosiderin | | 51 | Anti-dsDNA | | 84 | Chikungunya | Total | 115 | Iron | | 145 | HCV RDT | Total | 176 | Specific Gravity | | 205 | Others | | |
| 21 | BT | | 52 | PRPR/VDRL | Total | 85 | + Ve PV | | 116 | TIBC | | 146 | + Ve | 177 | Bence Jones Protin | | IMMUNO-HISTO CHEMISTRY | | | | |
| 22 | CT | | 53 | +Ve | | 86 | Scrub Typhus | | 117 | CPK-MB | | 147 | HIV ELISA/CLIA | Total | 178 | Semen anlysis | | 206 | ER | | |
| 23 | PT-INR | | 54 | CEA | | 87 | H. Pylori | | 118 | CPK-NAC | | 148 | + Ve | 179 | Others | | 207 | PR | | | |
| 24 | APTT | | 55 | CA-125 | | 88 | Leptospira | | 119 | LDH | | 149 | HAV ELISA/CLIA | Total | HORMONE/ENDOCRINE | | | 208 | G-FAP | | |
| 25 | Bone Marrow Analysis | | 56 | CA-19.9 | | 89 | Widal Test | | 120 | Iso-Trop-I | | 150 | + Ve | 180 | T3 | | 209 | S-100 | | | |
| 26 | Aldhyde test | | 57 | CA-15.3 | | 90 | Others | | 121 | Others | | 151 | HBsAg ELISA/CLIA | Total | 181 | T4 | | 210 | Vimentin | | |
| 27 | MP Total | | 58 | Toxo | | BIOCHEMISTRY | | | BACTERIOLOGY | | | 152 | + Ve | 182 | TSH | | 211 | Cytokeratin | | | |
| 28 | Smear MP Pos | PF | 59 | Rubella | | 91 | Sugar | | 122 | Gram Stain | | 153 | HCV ELISA/CLIA | Total | 183 | Cortisol | | 212 | Others | | |
| 29 | | PV | 60 | CMV | | 92 | Blood Urea | | 123 | Culture | Blood | | 154 | + Ve | 184 | AFP | | MOLECULAR LAB & FLOWCYTOMETRY | | | |
| 30 | | P-MIX | 61 | HSV | | 93 | Creatinine | | 124 | | Urine | 155 | HEV ELISA/CLIA | Total | 185 | LH | | 213 | Covid-19 PCR | | |
| 31 | MF | Total | 62 | Measles | | 94 | Sodium (Na) | | 125 | | Body Fluid | 156 | + Ve | 186 | FSH | | 214 | Influenza | | | |
| 32 | | Pos. | 63 | Echinococcus | | 95 | Potassium (K) | | 126 | | Swab | | 157 | Anti-HBs | | 187 | Prolactin | | 215 | Leukemia Panel | |

२०. लिंग र जात/जाती अनुसारको प्रतिबेदन

| जात/जाती | पूर्ण खोप पाएका बच्चा संख्या | | नवशिशु तथा बालरोगको एकीकृत व्यवस्थापन सेवा लिएका बच्चा संख्या | | २. माहिनाभन्दा मुनिका कम तौल भएका बच्चाहरुको संख्या (नयाँ+दोहोर्याएर आएको) | | स्वास्थ्य संस्थामा प्रसूति गराएका | सुरक्षित गर्भपतन सेवा पाएका | एच. आई. भी. संक्रमित नयाँ बिरामी | | | नयाँ कुष्ठरोगीहरुको संख्या | | नयाँ क्षयरोग बिरामीहरुको संख्या | | ओ. पी. डी. मा आएका नयाँ बिरामी संख्या (५ वर्ष माथि) | | अस्पतालबाट डिस्चार्ज भएका बिरामी | | लैंगिक हिंसाबाट पिडितको संख्या | |
|-------------------|------------------------------|-----|---------------------------------------------------------------|-----|----------------------------------------------------------------------------|-----|-----------------------------------|-----------------------------|----------------------------------|-----|------|----------------------------|-----|---------------------------------|-----|-----------------------------------------------------|-----|----------------------------------|-----|--------------------------------|-----|
| | म. | पु. | म. | पु. | म. | पु. | | | म. | पु. | यो.अ | म. | पु. | म. | पु. | म. | पु. | म. | पु. | म. | पु. |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 10 | 11 | 12 | 13 | 21 | 22 |
| दलित | | | | | | | | | | | | | | | | | | | | | |
| जनजाती | | | | | | | | | | | | | | | | | | | | | |
| मधेशी | | | | | | | | | | | | | | | | | | | | | |
| मुस्लिम | | | | | | | | | | | | | | | | | | | | | |
| ब्राह्मन/क्षेत्री | | | | | | | | | | | | | | | | | | | | | |
| अन्य | | | | | | | | | | | | | | | | | | | | | |

२१. जेरियाट्रीक सेवा (Geriatric Services)

| Number of people visited for geriatric service | Age group | | | | | | | | | | | | Caste/Ethnicity | | | | | | HI Enrollment | | |
|------------------------------------------------|-----------|---|----|-------|---|----|-------|---|----|-----|----|----|-----------------|----------|---------|--------|-----------------|--------|---------------|--------------|--|
| | 60-69 | | | 70-79 | | | 80-84 | | | ≥85 | | | Dalit | Janajati | Madeshi | Muslim | Brahmin/Chhetri | Others | Enrolled | Not Enrolled | |
| | F | M | SM | F | M | SM | F | M | SM | F | M | SM | | | | | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | |
| New | | | | | | | | | | | | | | | | | | | | | |
| Follow-up | | | | | | | | | | | | | | | | | | | | | |

| Types of services | New visit |
|---------------------|-----------|
| General examination | |
| General treatment | |
| Surgery | |
| Palliative | |
| Rehabilitative | |

| Source of expenses | New visit |
|---------------------------------------|-----------|
| Health Insurance | |
| Geriatric health care | |
| SSU | |
| Deprived citizen | |
| Amount of total expenses and exempted | |

| Hospital department | New visit |
|---------------------|-----------|
| Indoor | |
| Outdoor | |
| Emergency | |

| Disease | Stroke | Chronic respiratory | Coronary artery disease | Hypertension | Diabetes mellitus | Cancers | Parkinsonism, | Dementia and Alzheimer's | Benign Prostatic Hypertrophy | Depression | Osteoarthritis | Osteoporosis | Sarcopenia | Pneumonia | Urinary Tract Infection | Others |
|----------------|--------|---------------------|-------------------------|--------------|-------------------|---------|---------------|--------------------------|------------------------------|------------|----------------|--------------|------------|-----------|-------------------------|--------|
| | Number | | | | | | | | | | | | | | | |
| Number | | | | | | | | | | | | | | | | |
| Expenses (NRS) | | | | | | | | | | | | | | | | |
| Exempted (NRS) | | | | | | | | | | | | | | | | |

२२. एकद्वार सकट व्यवस्थापन केन्द्र (OCMC)

| Number of people visited in OCMC | Age Group and Sex | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------------|-------------------|---|----|-----------|----------------------------------------|----|-------|---|-----------|-----------------------|----|----|-------|----|---------------------------------|-----------|-------|----|----|---|-------|---|----|---|-----|---|----|---|
| | <10 | | | 10-14 | | | 15-18 | | | 19-49 | | | 50-59 | | | ≥60 | | | | | | | | | | | | |
| | F | M | SM | F | M | SM | F | M | SM | F | M | SM | F | M | SM | F | M | SM | | | | | | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | | | | | | | | | | |
| New | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Follow-up | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Disability | | | | New visit | Number of reported case by service | | | | New visit | Cause of violence | | | | | | New visit | | | | | | | | | | | | |
| Physical disability | | | | | Physical examination | | | | | Polygamy | | | | | | | | | | | | | | | | | | |
| Vision related disability | | | | | Injury | | | | | Child marriage | | | | | | | | | | | | | | | | | | |
| Hearing disability | | | | | Safe abortions | | | | | Dowry | | | | | | | | | | | | | | | | | | |
| Vision and hearing impaired | | | | | Treatment of mental illness | | | | | Witchcraft | | | | | | | | | | | | | | | | | | |
| Speech/language related impairment | | | | | Psychosocial counseling | | | | | Chhaupadi | | | | | | | | | | | | | | | | | | |
| Intellectual disability | | | | | Medico-legal service | | | | | Human trafficking | | | | | | | | | | | | | | | | | | |
| Hereditary hemophilia | | | | | HIV testing/counseling | | | | | Son preference | | | | | | | | | | | | | | | | | | |
| Mental & psychological impairment | | | | | Pregnancy test | | | | | Social discrimination | | | | | | | | | | | | | | | | | | |
| Autism related impairment | | | | | Emergency contraceptive | | | | | Child labour | | | | | | | | | | | | | | | | | | |
| Multiple disability | | | | | STI treatment | | | | | Others | | | | | | | | | | | | | | | | | | |
| Types of violence | | | | New Visit | Number of new cases by Caste/Ethnicity | | | | | | | | | | Relationship of the perpetrator | | | | | | | | | | | | | |
| Emotional | | | | | Dalit | | | | | Muslim | | | | | Within relatives | | | | | | | | | | | | | |
| Denial of resources/opportunities/services | | | | | Janajati | | | | | Brahmin/cheetri | | | | | Outside of the relatives | | | | | | | | | | | | | |
| Harmful traditional practices | | | | | Madeshi | | | | | Others | | | | | | | | | | | | | | | | | | |
| Psychosocial counseling | | | | | Age and Sex of Perpetrator | | | | | | | | | | | | | | | | | | | | | | | |
| Child/forced marriage | | | | | <10 | | | | 10-14 | | | | 15-18 | | | | 19-49 | | | | 50-59 | | | | ≥60 | | | |
| Sexual assault | | | | | M | F | SM | T | M | F | SM | T | M | F | SM | T | M | F | SM | T | M | F | SM | T | M | F | SM | T |
| Rape | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| २३. सामाजिक सेवा इकाई (SSU) | | | | | | | | | | | | | | | | | | |
|---------------------------------|-------------------|---|----|-------|---|----|-------|---|----|-------|----|----|-------|----|----|-----|----|----|
| Number of people visited in SSU | Age Group and Sex | | | | | | | | | | | | | | | | | |
| | <10 | | | 10-14 | | | 15-18 | | | 19-49 | | | 50-59 | | | ≥60 | | |
| | F | M | SM | F | M | SM | F | M | SM | F | M | SM | F | M | SM | F | M | SM |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 |
| New | | | | | | | | | | | | | | | | | | |
| Follow-up | | | | | | | | | | | | | | | | | | |

| Number of New visit | Caste and Ethnicity | | | | | | HI Enrollment | | Hospital Department | | |
|---------------------|---------------------|----------|---------|--------|-----------------|--------|---------------|--------------|---------------------|---------|-----------|
| | Dalit | Janajati | Madeshi | Muslim | Brahmin/Chhetri | Others | Enrolled | Not enrolled | Indoor | Outdoor | Emergency |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| | | | | | | | | | | | |

| Target group | Poor | Helpless | People with disability | GBV survivors | Senior citizen | Deprived emergency patients | Disaster survivors | Marginalized/endangered group | FCHV | Mainourish children | Prisoners | Martyrs family | Others |
|-----------------------------|------|----------|------------------------|---------------|----------------|-----------------------------|--------------------|-------------------------------|------|---------------------|-----------|----------------|--------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
| Total Amount Expenses(Nrs) | | | | | | | | | | | | | |
| Total Amount Exempted (NRs) | | | | | | | | | | | | | |

| २४. पोषण पुनर्स्थापना गृह | | | | | | | | | | | | | | | | |
|-------------------------------|-----------|-------------|--------------|------------|-----------|-------------|--------------|------------|---------------------|-------|-------|-------------------|----|----|----|--|
| Admission Related Information | | | | | | | | | | | | | | | | |
| Admission Category | Male | | | | Female | | | | Weight for Height Z | | | Oedema Present at | | | | |
| | ≤6 months | 7-24 months | 25-59 months | ≥59 months | ≤6 months | 7-24 months | 25-59 mOnths | ≥59 months | <-2SD | <-3SD | <-4SD | None | 1+ | 2+ | 3+ | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | |
| New Admission | | | | | | | | | | | | | | | | |
| Relapse | | | | | | | | | | | | | | | | |
| Referred in | | | | | | | | | | | | | | | | |

| Discharge Related Information | | | | | | | | | | | | | | | | |
|-------------------------------|-----------|-------------|--------------|------------|-----------|-------------|--------------|------------|---------------------|-------|-------|-------------------|----|----|----|--|
| Admission Category | Male | | | | Female | | | | Weight for Height Z | | | Oedema Present at | | | | |
| | ≤6 months | 7-24 months | 25-59 months | ≥59 months | ≤6 months | 7-24 months | 25-59 mOnths | ≥59 months | <-2SD | <-3SD | <-4SD | None | 1+ | 2+ | 3+ | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | |
| Official Discharge | | | | | | | | | | | | | | | | |
| Left against medical advice | | | | | | | | | | | | | | | | |
| Referred Out | | | | | | | | | | | | | | | | |
| Death | | | | | | | | | | | | | | | | |

| Bed Occupancy | |
|------------------------|--------------------|
| 1 | 2 |
| Inpatient Days of Care | Bed Days Available |
| | |

| Average Length of Stay | |
|------------------------|------------------|
| 1 | 2 |
| Inpatient Days fo Care | Total Admissions |
| | |